





1) Load

There are hand pallet trucks with special fork lengths and/or widths for moving smaller or larger pallets. For example, see the **Eurolifter range of hand pallet trucks**! The standard capacity for a hand pallet truck is 2 to 2.5 tonnes. We can supply trucks with a capacity of upto **3 tonnes**.





The better the pallet truck is geared to the operating situation, the easier the job!





2) Operating space

The smaller the space, the more important the versatility! We mainly recommend short hand pallet trucks from Eurolifter, Pramac Lifter and Bulli for use in small spaces

3) Operating environment

There are galvanized and stainless steel hand pallet trucks for use in humid environments or in contact with chemical products (e.g. detergents)

4) Operating height

Scissor hand pallet trucks (manual or electric) lift loads to an ergonomic operating height for loading and unloading

5) Special models

Get the best out of your pallet truck!

We also supply hand pallet trucks with a built-in weighing system, fourway and all-terrain hand pallet trucks.

6) How do I choose the right wheel?



Rubber steering wheel: soft and silent



Polyurethane steering wheels and fork wheels: hard wearing, soft, ideal for any floor



Nylon steering wheels and fork wheels: better, ideal for smooth floors and lightweight loads



<u>Tandem fork wheels:</u> greater stability, less wear on floors and wheels



Single fork wheels: better for lightweight loads







- ✓ Extra strong steel construction
- ✓ Your money's worth
- ✓ Volume discounts from just 6 units
- ✓ Hand pallet trucks and spare parts available from stock





2-year warranty on hydraulic pump!



Control with 3 functions



Tandem fork wheels polyurethane with entry wheel

REF	Fork length (mm)	Width (mm)	Lifting capacity (kg)	Steering wheels	Fork wheels
107TA9656 standard	1120	540	2500	Rubber	tandem polyurethane








- ✓ Top quality hand pallet truck!
- ✓ Hand pallet trucks and parts available from stock!
- ✓ 2-year warranty on hydraulic pump!





- ✓ Lubricating nipples on all linkages
- Ergonomic handle with rubber grip
- ✔ Robust chassis 79 kg

REF	Fork length (mm)	Width (mm)	Lifting capacity (kg)	Steering wheels	Fork wheels
105TA4561	1120	540	2500	Rubber	tandem nylon
108TA8375	1120	540	2500	Rubber	single nylon
105TA4562	1120	540	2500	Rubber	tandem polyurethane
108TA8376	1120	540	2500	Rubber	single polyurethane
108TA8377	1120	540	2500	Polyurethane	tandem polyurethane
108TA8378	1120	540	2500	Nylon	tandem nylon
119TA8837	1120	540	2500	Nylon	single nylon

108TA8387

2000







- exceptionally low prices!
- 2-year warranty on hydraulic pump
- ✓ Maximum lifting capacity: 2 TONNES
- Hand pallet trucks and parts available from stock!



REF	Fork length (mm)	Width (mm)	Lifting capacity	Steering wheels	Fork wheels
108TA8382	800	540	2500	Polyurethane	Tandem polyurethane
108TA8383	950	540	2500	Polyurethane	Tandem polyurethane
108TA8384	950	540	2500	Polyurethane	Single polyurethane
111TA4119	950	685	2500	Rubber	Tandem nylon
111TA4120	1120	685	2500	Rubber	Tandem nylon
119TA8836 (with handbrake)	1120	540	2500	Rubber	Tandem polyurethane
108TA8385	1500	540	2000	Polyurethane	Tandem polyurethane
108TA8386	1800	540	2000	Polyurethane	Tandem polyurethane

2000

Polyurethane

Tandem polyurethane

540









Fork wheels in polyurethane or nylon

REF	Fork length (mm)	Width (mm)	Lifting capacity	Steering wheels	Fork wheels
108TA8388	1150	525	2500	Rubber	Tandem nylon
108TA8390	1150	525	2500	Rubber	Tandem polyurethane
111TA4124	1220	525	2500	Rubber	Tandem nylon
111TA4121	800	525	2500	Rubber	Tandem polyurethane
111TA4122	950	525	2500	Rubber	Tandem polyurethane
111TA4123	1000	525	2500	Rubber	Tandem polyurethane
	'			·	







REF 108TA8400

Pramac Lifter
GS Special Series
Hand pallet truck lowered to
56.5 mm with steel fork wheels



Pramac Lifter
GS Special Series
Hand pallet truck with handbrake

- ✓ European quality product
- ✓ 2-year warranty on hydraulic pump
- ✓ Overpressure valve to prevent damage in the event of overload

REF	Fork length (mm)	Width (mm)	Lifting capacity	Steering wheels	Fork wheels
108TA8635	1350	525	2000	Rubber	Tandem polyurethane
108TA8394	1500	525	2000	Rubber	Tandem polyurethane
108TA8395	1800	525	2000	Rubber	Tandem polyurethane
108TA8636	2000	525	2000	Rubber	Tandem polyurethane
108TA8397	1000	685	2500	Rubber	Tandem polyurethane
108TA8398	1150	685	2500	Rubber	Tandem polyurethane
111TA4125	1220	685	2500	Rubber	Tandem polyurethane
108TA8399	800	400	2500	Rubber	Tandem polyurethane
111TA4126 (quicklift)	1150	525	2500	Rubber	Tandem polyurethane
108TA8400 (lowered)	1150	525	2000	Rubber	Tandem steel
108TA8401 (handbrake)	1150	525	2500	Rubber	Tandem polyurethane

Balancing wheels: greater stability on uneven surfaces! Entry and exit wheels ABSOLUTE TOP QUALITY! Entry and exit wheels

th (mm) Width (mr	n) Lifting capac	ity Steering wheels	s Fork wheels
0 525	2500	Rubber	Tandem polyurethane
0 525	2500	Rubber	Tandem polyurethane
50 525	2500	Rubber	Tandem polyurethane
50 685	2500	Rubber	Tandem polyurethane
	00 525 50 525 50 525	00 525 2500 50 525 2500 50 525 2500	00 525 2500 Rubber 50 525 2500 Rubber 50 525 2500 Rubber 50 525 2500 Rubber







REF	Fork length (mm)	Width (mm)	Lifting capacity	Steering wheels	Fork wheels
107TA8269	1130	520	2500	Nylon	Tandem nylon
108TA8409	1130	520	2500	Polyurethane	Single polyurethane
108TA8410	1130	520	2500	Polyurethane	Tandem polyurethane
108TA8411	1130	520	2500	Nylon	Single nylon
108TA8412	1130	520	2500	Rubber	Tandem polyurethane
108TA8413	1130	520	2500	Rubber	Tandem nylon
108TA8414	1130	520	2500	Vulkollan	Single vulkollan
108TA8415	1130	520	2500	Vulkollan	Tandem vulkollan

Capacity up to 3 TONNES!



- Special models
- ✓ Different sizes on request

REF	Fork length (mm)	Width (mm)	Lifting capacity	Steering wheels	Fork wheels
108TA8402	950	480	2500	Nylon	Single nylon
108TA8403	950	480	2500	Nylon	Tandem nylon
108TA8404	800	520	2500	Nylon	Single nylon
108TA8405	800	520	2500	Nylon	Tandem nylon
108TA8406	1000	520	2500	Polyurethane	Tandem polyurethane
108TA8407	1000	520	2500	Nylon	Single nylon
108TA8408	1000	520	2500	Nylon	Tandem nylon
108TA8416	1000	685	2500	Nylon	Single nylon
108TA8417	1130	685	2500	Nylon	Tandem nylon
108TA8418	1130	685	2500	Nylon	Single nylon
108TA8419	1130	520	3000	Nylon	Tandem nylon







Extra reinforcement

on shaft

✓ Ideal for use in lorry!

Runs very easily!



Type FK 2300 Standard model

- ✓ High-quality hydraulic system!
- ✓ One complete valve cartridge and overload valve
- Pump clock galvanized in one part and completely surrounded by protective sleeve
- Extremely small turning circle
- Quiet
- Entry and exit rollers
- ✓ Extra reinforcement on shaft and fork ends

Extra reinforcement on fork ends



REF	Fork length (mm)	Width (mm)	Lifting capacity	Steering wheels	Fork wheels
111TA3670	1150	520	2300	Rubber	Tandem nylon
119TA8560	1150	520	3000	Polyurethane	Tandem polyurethane







AURAMO (#)



✓ European quality product


✓ With Quicklift pump



Bolzoni standard model



Bolzoni 3 TONNE standard model without quicklift pump



Wide range of special models, many available from stock!

With Quicklift system

REF 108TA8468

Bolzoni lowered to 55 mm with quicklift pump

REF	Fork length (mm)	Width (mm)	Lifting capacity (kg)	Steering wheels	Fork wheels
	1	1	1		
108TA8420	600	450	2200	Rubber	Tandem polyurethar
108TA8421	800	450	2200	Rubber	Tandem polyurethar
108TA8422	950	450	2200	Rubber	Tandem polyuretha
108TA8423	1120	450	2200	Rubber	Tandem polyurethai
108TA8429	600	530	2200	Rubber	Tandem polyuretha
108TA8430	800	530	2200	Rubber	Tandem polyuretha
108TA8431	950	530	2200	Rubber	Tandem polyuretha
107TA8268	1120	530	2200	Rubber	Tandem polyuretha
108TA8432	1300	530	2200	Rubber	Tandem polyuretha
108TA8433	1500	530	2200	Rubber	Tandem polyuretha
108TA8434	1800	530	2200	Rubber	Tandem polyuretha
108TA8435	2000	530	2200	Rubber	Tandem polyuretha
108TA8436	2500	530	2200	Rubber	Tandem polyuretha
108TA8438	800	690	2200	Rubber	Tandem polyuretha
108TA8439	950	690	2200	Rubber	Tandem polyuretha
108TA8440	1120	690	2200	Rubber	Tandem polyuretha
108TA8441	1300	690	2200	Rubber	Tandem polyuretha
108TA8449	1120	800	2200	Rubber	Tandem polyuretha
108TA8457	1120	1000	2200	Rubber	Tandem polyuretha
108TA8465 (No quicklift)	1120	530	3000	Polyurethane	Tandem polyuretha
108TA8466 (Lowered)	800	530	2200	Rubber	Tandem nylon
108TA8467 (Lowered)	950	530	2200	Rubber	Tandem nylon
108TA8468 (Lowered)	1120	530	2200	Rubber	Tandem nylon







maintenance and comply

with safety and hygiene

standards!

- Eurolifter hand pallet trucks galvanized and stainless steel: rock-bottom price for top quality!
- 2-year warranty on the pump!



REF	Fork length (mm)	Width (mm)	Lifting capacity	Steering wheels	Fork wheels
121TA1102	1150	540	2000	Nylon	Tandem nylon
121TA1104	1150	540	2000	Nylon	Tandem nylon

With entry wheel









Ideal for the food and chemical industries!





PRAMAC Lifter Mr. Hydro series Galvanized pallet truck

- ✓ New! 2.5 tonnes capacity
- ✔ Hydraulic pump in bronze: greater resistance (option)
- ✔ Electronically controlled polishing for increased resistance and better hygiene
- ✓ Maintenance-free thanks to lubricating nipples
- ✓ 2-year warranty on pump

Galvanized



Better

resistance!

Optional: Hydraulic pump in bronze



2-year warranty on pump






REF 108TA8639

Bolzoni galvanized hand pallet truck

REF	Fork length (mm)	Width (mm)	Lifting capacity (kg)	Steering wheels	Fork wheels
107TA8266	1150	525	2500	Nylon	Tandem nylon
108TA8639	1130	520	2200	Nylon	Tandem nylon







REF 107TA8270

Stainless steel hand pallet truck standard model

- ✓ Galvanized pump
- ✓ 2-year warranty on pump
- ✔ Available in special sizes

Stainless steel model



Steering wheel in nylon or polyurethane



Stainless steel "304" model



Galvanized pump



Fork wheels in nylon or polyurethane

REF	Fork length (mm)	Width (mm)	Lifting capacity	Steering wheels	Fork wheels
107TA8270	1130	520	2500	Nylon	Tandem nylon
108TA8475	1130	520	2500	Nylon	Single nylon
108TA8474	1130	520	2500	Polyurethane	Tandem polyurethane
108TA8473	1130	520	2500	Polyurethane	Single polyurethane
108TA8472	1000	520	2500	Nylon	Tandem nylon
108TA8471	1000	520	2500	Nylon	Single nylon







REF	Fork length (mm)	Width (mm)	Lifting capacity (kg)	Steering wheels	Fork wheels	
111TA4129	1150	525	2200	Nylon	Tandem nylon	
111TA4130 (bronze pump)	1150	525	2200	Nylon	Tandem nylon	

REF 107TA8265




REF	Fork length (mm))	Width (mm)		Lifting capacity		Steering wheels		Fork wheels	
107TA8265	1	1125	ı	520	1	2500	T	Nylon	1	Tandem nylon	





- ✓ Hand pallet trucks for transporting rolls!
- ✓ <u>Quote on request:</u> give us the dimensions of the rolls and we will calculate the dimensions of the hand pallet truck and offer you a competitive price!









- ✓ Flexible hand pallet truck for any surface!
- ✓ Forks width-adjustable





REF 107TA8250

All-terrain hand pallet truck


Description	REF	Lifting cap. (kg)	Tot. length (mm)	Fork length (mm)	Width over forks (mm)	Total width (mm)	Lift height (mm)	Wheels
	107TA8271 107TA8250	1500 1200	1517 1650	1150 800	550 190-590	550 1400	198	See above pneumatic 380x540 mm





✓ No more damage





Rubber brake profile ✓Dimensions: 350x350x30 mm



REF 107TA8375

Sticker

✓ Dimensions: 115x115 mm