


**This is a very brief
explanation
of what we can offer.
Please contact our
sales department for
information on all
items which
are not shown.**

ELECTRICAL PARTS



MICRO SWITCHES




BURGESS • OMRON •
SCHMERSAL • ELAN • CHERRY
CROUSET • HONEYWELL •
MARQUARDT • MATSUSHITA •
OTEHALL • SCHALTBAU •
SQUARE D •
TELEMECANIQUE • SAIA •
LANDIS & GYR



*For all other
forklift switches,
please call us.*

Fig.	REF	Description, used for:
1	106TA2445	KOMATSU, actuator 17 mm
2	106TA2446	
3	106TA2447	KOMATSU, actuator 19 mm
4	106TA2448	
5 a	106TA2449	Fast-on terminals 5 mm, 10 A
5 b	106TA2450	Fast-on terminals 5 mm, 15 A
6	106TA2451	Screw terminals, 10 A
7	106TA2452	STILL
8	106TA2453	CROWN
9	106TA2454	Fast-on terminals 6,3 mm
10	106TA2455	TELEMECANIQUE, FENWICK
11	107TA1591	HYSTER
12	105TA4726	LINDE, FENWICK
13	106TA2457	CLARK
14	106TA2458	HYSTER
15	106TA2459	STILL
16	106TA2460	CROWN, HYSTER, LINDE, STILL
17	105TA4725	WAGNER, MIC, AMEISE

Fig.	REF	Description, used for:
18	106TA2461	BT, TOYOTA
19	106TA2462	LINDE, wide roller (7 mm)
20	106TA2463	MIC, LINDE, wide roller (6,6 mm)
21	106TA2464	CATERPILLAR
22	106TA2465	TELEMECANIQUE, FENWICK
23	105TA4727	LINDE, wide roller (6,35 mm)
24 a	106TA2466	Screw terminals, 10 A
24 b	106TA2467	CLARK, Screw terminals 15 A
25 a	106TA2468	Fast-on terminals 6,3 mm, 10 A
25 b	107TA1592	Fast-on terminals 6,3 mm, 15 A
26 a	106TA2470	Fast-on terminals 5 mm, 10 A
26 b	107TA1593	Fast-on terminals 5 mm, 15 A
27	106TA2472	Fast-on terminals 6,3 mm
28	106TA2473	Fast-on terminals 5 mm
29	106TA2474	Solder terminals




MICRO SWITCHES



Fig.	REF	Description, used for:
1 a	107TA1594	HYSTER - 10 A terminal COM-NO-NC
1 b	106TA2476	HYSTER - 15 A terminal COM-NO-NC
2 a	106TA2477	HYSTER / CLARK / CAT - 10A terminal COM-NO-NC
2 b	106TA2478	KOMATSU - 15 A terminal COM-NO-NC
3	106TA2479	TOYOTA terminal COM-NC-NO
4	107TA1595	LINDE
5	107TA1596	YALE / CATERPILLAR
6	106TA2482	HYSTER
7	106TA2483	TOYOTA / NISSAN NYK-NICHIYU / KOMATSU
8	105TA4728	TOYOTA
9	106TA2484	LANSING
10	106TA2485	KOMATSU / TCM
11	105TA4731	HYSTER
12	107TA1597	NYK-NICHIYU



Fig.	REF	Description, used for:
1a	106TA2487	HYSTER
1b	119TA9825	HYSTER hand brake
2	106TA2488	CATERPILLAR
3	106TA2489	CLARK
4	107TA1598	ICEM
5	106TA2491	YALE / AMEISE
6 a	106TA2492	TOYOTA / BT (std.)
6 b	106TA2493	Special sealed HYSTER
7	106TA2494	CLARK Special 10 A (DC)
8	107TA1599	KOMATSU / MITSUBISHI
9 a	106TA2496	std. - 15 A
9 b	106TA2497	Special sealed HYSTER
10	106TA2498	CATERPILLAR
11	106TA2499	OM - FIAT
12	106TA2500	AMEISE
13	106TA2501	CLARK (6-terminals)
14	106TA2502	FENWICK / LINDE
15	106TA2503	AMEISE



MICRO SWITCHES



Fig.	REF	Description, used for:
1	105TA4729	LANSING
2	106TA6794	MIC / JUNGHEINRICH
3	107TA1602	LANSING
4	105TA4730	CROWN
5	106TA2518	STEINBOCK
6	106TA2519	ALLIS CHALMERS
7	123TA7584	CLARK
8	106TA2521	CROWN / CLARK
9	106TA2522	ALLIS CHALMERS
10	106TA2523	MIC / JUNGHEINRICH
11	106TA2524	FENWICK / SAXBY
12	106TA2525	PRAT





Fig.	REF	Description, used for:
1	106TA2504	STILL
2	107TA1600	FENWICK
3	106TA2507	CROWN
4	106TA2508	CROWN
5	106TA2509	CROWN
6	106TA2510	CROWN
7	106TA2511	CROWN / FENWICK
8	106TA2512	HYSTER
9	106TA2513	CROWN / CLARK
10	106TA2514	CROWN / YALE CLARK / TOYOTA
11	106TA2515	OM/FIAT
12	107TA1601	SAXBY



MICRO SWITCHES




Fig.	REF	Description, used for:
1	106TA2543	SCHALTBAU
2	106TA2544	SCHALTBAU
3	107TA1607	SCHALTBAU
4	106TA2546	MIC / STILL / AMEISE YALE / CLARK / ...
5	106TA2547	SCHALTBAU
6	106TA2548	FENWICK / SAXBY
7	106TA2549	SQUARE D / CLARK
8	106TA2550	SQUARE D / CLARK
9	106TA2551	PARKER-HANIFAN (fast-on terminals)
10	105TA4732	MIC / JUNGHEINRICH
11	106TA2552	MIC / JUNGHEINRICH




Fig.	REF	Description, used for:
1 a	106TA2526	DC 0,2 A
b	106TA2527	DC 2 A
2	106TA2528	TELEMECANIQUE
3	106TA2529	TELEMECANIQUE
4	107TA1604	TELEMECANIQUE
5	107TA1605	TELEMECANIQUE
6	106TA2532	TELEMECANIQUE
7	106TA2533	TELEMECANIQUE
8	106TA2534	TELEMECANIQUE
9	106TA2535	TELEMECANIQUE
10	107TA1606	BURGESS
11	106TA2537	BURGESS
12	106TA2538	BURGESS
13	106TA2539	BURGESS
14	106TA2540	BURGESS
15	106TA2541	BURGESS
16	106TA2542	BURGESS


SWITCHES



Fig.	REF	Description, used for:
1	107TA1609	AMEISE
2	105TA4733	AMEISE
3	107TA1610	AMEISE
4 a	105TA4734	STILL (SEG 1103)
4 b	106TA2569	AMEISE (SEG 4022)
5 a	106TA2570	AMEISE (SESH)
5 b	106TA2571	AMEISE (SEKH)
6 a	106TA2572	AMEISE (2 X NC)
6 b	106TA2573	AMEISE (1 X NO + 1 X NC)
7	106TA2574	STILL / LINDE / AMEISE
8	106TA2575	AMEISE
9	107TA1611	AMEISE



Fig.	REF	Description, used for:
1	106TA2553	MIC / AMEISE
2 a	105TA4735	AMEISE (with "click")
2 b	106TA2554	AMEISE (without "click")
3	107TA1608	AMEISE
4 a	106TA2556	AMEISE (with "click")
4 b	106TA2557	AMEISE (without "click")
5	106TA2558	BT
6 a	106TA2559	AMEISE (1 X NO + 1 X NC) (with "click")
6 b	106TA2560	AMEISE (2 X NO)
6 c	106TA2561	AMEISE / STILL / LAFIS (1 X NO + 1 X NC) (without "click")
7	106TA2562	AMEISE
8	106TA2563	AMEISE/CLARK/GRAMMER
9	106TA2564	AMEISE
10	106TA2565	FENWICK
11	106TA2566	FENWICK / SAXBY



SWITCHES

SWITCHES




Fig.	REF	Description, used for:
1	106TA2583	CATERPILLAR
2	105TA4737	BT
3	105TA4736	STILL
4	106TA2584	LINDE
5	107TA1612	
6	106TA2586	KOMATSU
7	106TA2587	AMEISE






Fig.	REF	Description, used for:
1	106TA2577	STILL
2 a	106TA2578	VCFT (LANSING)
2 b	106TA2579	VCSPT (BT)
3	106TA2580	
4	106TA2581	CLARK
5	105TA4738	CLARK
6	106TA2582	KOMATSU



For all other
forklift switches,
please call us.

ALBRIGHT

ED 125 - 125A - SINGLE POLE



1



2






3



Nr.	REF switch with button	used for	REF button only
1	107TA1102		107TA1103
2	107TA1104	YALE	107TA1103
3	105TA4852	MIC, STEINBOCK	106TA1206

ALBRIGHT

ED 250 - 250A - SINGLE POLE



1



2




3



4






Nr.	REF switch with button	used for	REF button only
1	106TA1199	CLARK / FIAT / PIMESPO / ROCLA	107TA1103
2	107TA1099 With Blowouts	YALE	107TA1103
3	107TA1100 With key-lock		
4	107TA1101 With microswitch With Blowouts	HYSTER / YALE	107TA1103



ALBRIGHT

ED 252 - 250A - DOUBLE POLE



1






2



Nr.	REF switch with button	used for	REF button only
1	106TA1209 Standard type 115TA4626	NISSAN	107TA1103
2	107TA1105 With key-lock		

ALBRIGHT

SW 155 - 200A - DOUBLE POLE






1



Nr.	REF switch with button	used for	REF button only
1	106TA1208	ATLET FIAT JUNGHEINRICH YALE	106TA1210

ALBRIGHT

SW 159 - 200A - SINGLE POLE






1



Nr.	REF switch with button	used for	REF button only
1	106TA1207	STILL SAXBY FIAT PIMESPO	106TA1210

ALBRIGHT

SW 203 - 250A - SINGLE POLE






1



Nr.	REF switch with button	used for	REF button only
1	107TA1106	FIAT - OM PIMESPO ISUZU KALMAR	106TA1210

ALBRIGHT

SD 150 - 125A - SINGLE POLE COMBINED MANUAL DISCONNECT



1

2




3



Nr.	REF switch with button	used for	REF button only
1	107TA1107 24V	JUNGHEINRICH	107TA1103
2	107TA1108 24V		106TA1206
3	112TA5000 24V With integrated aux. switch	FIAT - OM	107TA1103

ALBRIGHT

SD250 - 250A - SINGLE POLE COMBINED MANUAL DISCONNECT



1





Nr.	REF switch with button	used for	REF button only
1	115TA4627	HYSTER / YALE	107TA1103

EMERGENCY STOPS

PRESTOLITE

SINGLE POLE - 300A





1



Nr.	REF switch with button	used for	REF button only
1	106TA1229		107TA1110

HARDELLET

WITH CONVEX BUTTON - 150A



1





2



Nr.	REF switch with button	used for	REF button only
1	107TA1114 with bracket	MIC	107TA1111
2	107TA1115 without bracket	MIC	107TA1111

HARDELLET

WITH FLAT BUTTON - 150A



1



2



3





Nr.	REF switch with button	used for	REF button only
1	106TA1219 with bracket	LINDE	107TA1109
2	106TA1220 without bracket	LINDE	107TA1109
3	107TA1112 without bracket	MIC	106TA1206

OEM references are purely indicative and do not imply that parts originate from the forklift manufacturer.

SCHALTBAU

S 132 - 125A - SINGLE POLE



1



2



Nr. REF switch

used for

REF button only

1 **107TA1116**
Standard
shaftBOSS /
LANSING / LINDE
STEINBOCKred button **106TA1232**2 **107TA1117**
Short shaft

JUNGHEINRICH

red button **106TA1232**
yellow / red button
106TA1206**107TA1118**
Short shaft
Textured tipsBOSS /
STEINBOCKred button **106TA1232**
yellow / red button
106TA12063 **107TA1119**
Long shaft

JUNGHEINRICH

red button **106TA1232**
yellow / red button
106TA12064 **111TA3898**

LINDE

red button **111TA3899**

SCHALTBAU

S 135 - SINGLE POLE



1



2

Nr. REF switch with
button

used for

REF spare parts

1 **107TA1126**
160AJUNGHEINRICH
YALEred button **107TA1124**
contact element
106TA12412 **106TA1244**
250A


STILL

red button **107TA1124**
contact element
107TA1125

OEM references are purely indicative and do not imply that parts originate from the forklift manufacturer.

SCHALTBAU

S135 - DOUBLE POLE




1



Nr.	REF switch with button	used for	REF spare parts
1	106TA1242 250A	JUNGHEINRICH STILL WAGNER	red button 107TA1124 contact element 107TA1125

SCHALTBAU

S 134 - 250A - SINGLE POLE



1



2



3



4




5



6



Nr.	REF switch	used for	REF spare parts
1	107TA1120 Standard shaft	JUNGHEINRICH MIC / STILL / WAGNER	red button 106TA1232
2	107TA1121 Standard shaft	JUNGHEINRICH	red button 106TA1232 yellow-red button 106TA1206
3	106TA1233 Short shaft	JUNGHEINRICH	yellow-red button 106TA1206
4	105TA4853 Standard shaft Key lock	NISSAN STEINBOCK BOSS	red button 106TA1232 keylock plate 106TA1234 106TA1235
5	106TA1236 Standard shaft Key lock Switch with 4 connections	KOMATSU	red button 106TA1232 keylock plate 106TA1234 106TA1235 switch with bracket 107TA1122
6	107TA1123 Standard shaft Keylock Switch with 3 connections	STEINBOCK BOSS	red button 106TA1232 keylock plate 106TA1234 106TA1235



REMA

SWITCH - PLUG WITH BLOW-OUTS



1



Nr.	REF switch without button	used for	REF red button
1	107TA1127 Switch amperage 125A Connector type DIN 80A	JUNGHEINRICH	106TA1232

REMA

190A WITH AUXILIARY SWITCH

1



Nr.	REF switch with button	used for	REF red button
1	111TA3900 With black connector	LINDE	106TA1232

2



Nr.	REF switch with button	used for	REF red button
2	111TA3901 With grey connector	LINDE	106TA1232

3



Nr.	REF switch with button	used for	REF red button
3	111TA3902 With screw-off button With black connector	LINDE	111TA3899

PUSH PULL SWITCHES ON/OFF

LONG NECK




REF 106TA1451
2 blade terminals 6,3 mm



REF 106TA1450
2 screw terminals

max. 12,5 A




SHORT NECK




REF 106TA1449
2 blade terminals 6,3 mm



REF 106TA1448
2 screw terminals



PUSH PULL SWITCH



REF 106TA1303
4 screw terminals

HORN SWITCH Ø 11 MM



ON/OFF
(spring return to middle position)
Different directions
2 blade terminals 6,3 mm

REF 107TA1196

TOGGLE SWITCHES Ø 12 MM - NOT SEALED



1. **REF 107TA1192** - ON/OFF/ON
(fixed positions)
double pole - 6 screw terminals
2. **REF 107TA1193** - ON/OFF
(fixed positions)
single pole - 2 blade terminals 6,3 mm
3. **REF 107TA1195** - ON/OFF/ON
(fixed positions)
single pole - 3 screw terminals
4. **REF 107TA1194** - ON/OFF
(fixed positions)
single pole - 2 blade terminals 6,3 mm
5. **REF 106TA1445** - ON/ON
(fixed positions)
single pole - 3 blade terminals 6,3 mm
6. **REF 123TA7732**
rubber cover

TOGGLE SWITCHES Ø 12 MM - SEALED



SINGLE POLE

2 POSITIONS:

- REF 123TA7600** - ON/OFF
REF 123TA7601 - ON/ON
REF 123TA7602 - ON/ON*
REF 123TA7603 - ON*/OFF

3 POSITIONS:

- REF 123TA7604** - ON/OFF/ON
REF 123TA7605 - ON*/OFF/ON*
REF 123TA7606 - ON/OFF/ON*

DOUBLE POLE

2 POSITIONS:

- REF 123TA7607** - ON/OFF
REF 123TA7608 - ON/ON
REF 123TA7609 - ON/ON*
REF 123TA7610 - ON*/OFF

3 POSITIONS:

- REF 123TA7611** - ON/OFF/ON
REF 123TA7612 - ON*/OFF/ON*
REF 123TA7613 - ON/OFF/ON*
REF 123TA7614 - ON/ON/ON

FOUR POLE

2 POSITIONS:



- REF 123TA7615** - ON/ON

3 POSITIONS:


- REF 123TA7616** - ON/OFF/ON
REF 123TA7617 - ON*/OFF/ON*

* momentary


TOGGLE SWITCHES - SWITCHES WITHOUT SYMBOL/BULB




REF 115TA2799




REF 115TA2800



REF 115TA2801



REF 115TA2802




REF 115TA2803

ACCESSORIES



N°	REF switch	Specifications
1	115TA2842	Socket housing, 8 pole
2	115TA2843 115TA2844	Warning light with pre-fitted 12V bulb Warning light with pre-fitted 24V bulb
3	115TA2845 115TA2846	Bulb holder with pre-fitted 12V bulb Bulb holder with pre-fitted 24V bulb
4	115TA2852	Cover plug
5	115TA2848	Mounting panel for 6 switches
6	115TA2849	Mounting panel for 3 switches
7	115TA2850	Modular mounting panel system - end piece
8	115TA2851	Modular mounting panel system - middle piece




INSERTS FOR TOGGLE SWITCHES 14X14MM

SYMBOL	DESCRIPTION	COLOUR	REF
	BLIND CAP	GREEN BLACK ORANGE RED YELLOW	115TA2804 115TA2805 115TA2806 115TA2807 115TA2808
	WINDSCREEN WIPER	GREEN	115TA2809
	WINDSCREEN WIPER/WASHER	GREEN	115TA2810
	WINDSCREEN WASHER	GREEN	115TA2811
	REAR WINDOW WIPER/WASHER	GREEN	115TA2812
	LIGHT	GREEN	115TA2813
	HIGH BEAM	BLUE	115TA2814
	DIPPED BEAM	GREEN	115TA2815
	SIDE MARKER LAMPS	GREEN	115TA4628

INSERTS FOR TOGGLE SWITCHES 14X14MM


SYMBOL	DESCRIPTION	COLOUR	REF
	SIDE MARKER LAMPS	GREEN	115TA2816
	FOG WARNING LAMP	YELLOW / WHITE	115TA2817
	GENERAL SERVICE LAMP	GREEN	115TA2818
	WORK LAMP	GREEN	115TA2819
	INTERIOR LAMP	GREEN	115TA2820
	INTERIOR LAMP: MEDIUM	GREEN	115TA2821
	ROTARY BEACON	GREEN	115TA2822
	HAZARD WARNING	RED	115TA2823
	HEATING	GREEN	115TA2824





INSERTS FOR TOGGLE SWITCHES 14X14MM

INSERTS FOR TOGGLE SWITCHES

SYMBOL	DESCRIPTION	COLOUR	REF
	HOT AIR BLOWER	GREEN	115TA2825
	FAST BLOWER	GREEN	115TA2826
	FAN	GREEN	115TA2827
	SEAT HEATING	GREEN	115TA2828
	WINDSCREEN: HEATING AND VENTILATION	GREEN	115TA2829
	CROSS-SHAFT AXLE LOCK	GREEN	115TA2830
	PARKING BRAKE	RED	115TA2831
	BRAKE SYSTEM TROUBLE	RED	115TA2832
	LUBRICATION, OIL	RED	115TA2833



INSERTS FOR TOGGLE SWITCHES 14X14MM

SYMBOL	DESCRIPTION	COLOUR	REF
	DIRECTION INDICATION	YELLOW/WHITE	115TA2834
	DIRECTION INDICATION	GREEN	115TA2835
	SUPPORT, RIGHT HAND	GREEN	115TA2836
	SUPPORT, LEFT HAND	GREEN	115TA2837
	BATTERY	RED	115TA2838
	SLOW	ORANGE	115TA2839
	SLOW	ORANGE	115TA2840
	FAST	GREEN	115TA2841

SWITCHES USED FOR JUNGHEINRICH

SMALL BUTTON



Switch

REF

Without cover
With cover
- Forks up
- Forks down
- Horn
- No symbol

111TA4057
111TA4058
111TA4059
111TA4060
111TA4061



Switch

REF

Without cover

111TA4062

Covers separately

REF

- Forks up
- Forks down
- Horn

111TA4063
111TA4064
111TA4065



BIG BUTTON



Switch

REF

Without cover
With cover
- Forks up
- Forks down
- Horn

111TA4066
111TA4067
111TA4068
111TA4069

PUSH BUTTON SWITCHES



1) REF 106TA1458

decals raise:

NO - raise
blade terminals 6,3 mm
REF 107TA7679

2) REF 106TA1459



decals lower:

NO - lower
blade terminals 6,3 mm
REF 107TA7680

3) REF 106TA1460

decals horn:

NO - horn
blade terminals 6,3 mm
REF 107TA7681



4) REF 107TA1201


NO - Ø 22
screw terminals

5) REF 106TA1462

NO - Ø 22
blade terminals 6,3 mm

6) REF 107TA1202

NO - Ø 16
screw terminals



Waterproof:

7) REF 107TA1203

NO - Ø 22
blade terminals 6,3 mm

8) REF 106TA1465

NO - Ø 22
screw terminals

Metal push button:

9) REF 107TA1204

NO - Ø 22
screw terminals

Lever mount push button:

10) REF 123TA7629

NO - Ø 22
screw terminals



USED FOR LANSING



REF 106TA1198

USED FOR RANSOMES / LANSING



REF 106TA1196

USED FOR AMEISE



REF 106TA1197

USED FOR CROWN / CLARK



REF 106TA1195
With long neck (46,48 mm)

FOOT SWITCH



REF 107TA1199

USED FOR CROWN/CLARK



REF 116TA3348
With short neck (25,40 mm)

FOOT SWITCH



REF 107TA1198

USED FOR STILL



REF 107TA1098

For other types,
please call us!

TILLER HEADS



USED
FOR
BT

Accessory: plastic handle
REF 105TA4602

USED FOR
PRAT



USED FOR
STILL/
WAGNER

Different tiller heads and spares are available from stock. Please specify all truck details.

Accessories:

- housing parts
- lower part
- upper part (1 button)
- upper part (2 buttons)
- orange butterfly handle

REF 115TA3857

REF 115TA3858

REF 115TA3859

REF 115TA3860



USED FOR
JUNGHEINRICH



USED FOR
MIC



USED FOR
LAFIS



USED FOR
BOSS/
STEINBOCK



CONTROL HANDLE HEADS FOR ELECTRIC HAND PALLET TRUCKS

*Universal
application*

General features:


- Material: Fiberglass reinforced polyamide
- Operation temperature: From -40°C to +120°C
- Inflammability UL: HB
- Standard colour: Black (also available in other colours)

**A. REF 105TA4898**

For applications with resistor controller (3 speed)
With 5 microswitches (brake, forward, reverse, 2nd speed, 3rd speed)

- Safety button
- Lift/lower push buttons
- Horn push button
- Key switch


Supplied without cable

**B. REF 105TA4899**

For applications with MOS-control units
With potentiometer 5+5K with central 0

- Safety button
- Lift/lower push buttons
- Horn push button
- Key switch

Supplied with numbered wire harness (length 2 metres)



ALL HANDLE UNITS ARE SUPPLIED
WITH INSTALLATION MANUAL
FOR EASY FITTING .





UNIVERSAL CONTROL HEAD



Technical specifications:


Power Supply	24 V +/- 20%
Impuls Withstand Voltage	EN61000 - 4 - 5, 1995
Current-Reception max.	4 A
Speedcontrol	0-5,0 V +/- 0,1 V / 10 mA
Lift On/Off	24 V / 1,5 A
Lower On/Off	24 V / 1,5 A
Analog Proportional Lift/Lower	0,25 V-2,5 V-4,75 V / 5 mA
Horn	24 V / 1,5 A
Belly-Switch N(ormaly) C(losed)	24 V / 10 mA
Operating temperature	-20 °C ... + 60 °C
Storage temperatue	-40 °C ... + 70 °C
Humidity	95 %
Force required to engage (Lift, Lower, Hor, Speed-Control)	10 N
Force required for Belly-Switch	10 N

Complete control head **REF 124TA3423**

Spare parts:

N°	DESCRIPTION	REF
4	Push button Lift RAL 6024	124TA3404
5	Push button Lower RAL 6024	124TA3405
6	Push button Lift RAL 6024	124TA3404
8	Push button Lower RAL 6024	124TA3405
9	Upper Part with 6 openings without Components	124TA3406
10	Upper Part with 4 openings without Components	124TA3407
11	Horn-Cover RAL 6024	124TA3408
12	Belly-Switch-Cover	124TA3409
13	Mechan. Spring for Belly-Switch	124TA3410
14	Mechan. Spring	124TA3411

N°	DESCRIPTION	REF
15	Snail-Switch-Cover RAL 6024	124TA3412
16	Screw 12,9M3x16	124TA3413
	Washer A3,2	124TA3414
17	Butterflywing rigth RAL 6024	124TA3415
18	Butterflywing left RAL 6024	124TA3416
19	Bearing ring for Speedcontrol	124TA3417
20	Cam-Shaft for Speedcontrol	124TA3418
21	Mechan. Spring for Speedcontrol left and right side	124TA3419
22	PCB for Speedcontrol V1.2 R3	124TA3420
23	Screw for housing M6x10	124TA3421
26	Lower Part	124TA3422



ASK FOR:
New • Service
exchange • Repair

ACCELERATORS USED FOR JUNGHEINRICH/MIC



Please indicate truck details.
For more information call
our sales department.

ACCELERATORS HARDELLET



CONTACT BLADES



REF 108TA6068
Used for Hyster



REF 110TA8385
Used for Hyster



REF 112TA5002
Used for Hyster



REF 108TA5202
Used for Yale



REF 106TA2603
Used for Yale/Fenwick

ACCELERATORS USED FOR FENWICK / LINDE

1



2



Fig.	REF
1	106TA2679 Without potentiometer
2	106TA2680 With potentiometer



ACCELERATORS USED FOR WAGNER

1



2




Fig.	REF
1	106TA2588 With potentiometer
2	106TA2589 Without potentiometer

ACCELERATORS

ACCELERATORS CURTIS - RIGHT-HAND OPERATION



Other types
available
on request !

REF 115TA3861

Without microswitch

REF 115TA3862

With microswitch

ACCELERATORS GENERAL ELECTRIC




*Different General Electric
accelerators in stock.
Please specify all truck details or
give full General
Electric partnumber.
e.g. IC4485ACH1BX01ACAC08*

ACCELERATORS SEVCON



*Complete range of Sevcon accelerators.
Please specify truck details or Sevcon
partnumber.
e.g. 656/12035*



FOOT PEDALS CURTIS



Fig.	REF
1	115TA2854 • Potentiometer throttle type - 0 to 5K • With two adjustable microswitches (max 10A at 30Vdc)

FOOT PEDALS ZAPI



OLD STYLE
ALUMINIUM HOUSING

Fig.	REF
1	115TA2855 Used for clark
2	115TA2856 Used for Jungheinrich

NEW STYLE
PLASTIC HOUSING

Fig.	REF
3	115TA2857 Left side
4	115TA2858 Right side
5	115TA2859 Double side



JOYSTICKS

ASK FOR:

- New
- Service exchange
- Repair

**USED FOR
JLG**

**USED FOR
TEREX**

**USED FOR
GROVE**

**USED FOR
JUNGHEINRICH**

**USED FOR
KALMAR**

**USED FOR
MITSUBISHI**

**USED FOR
BT**


REF 115TA2861
BT - short level

REF 115TA2862
BT - long level


REF 115TA2860

**Joysticks available for
different applications.
Please specify truck or
platform details**

JOYSTICKS




JOYSTICKS Ø 22MM



2 DIRECTIONS (1 NO-CONTACT PER DIRECTION)


Spring return	Length of lever	REF	Used for
NO	79 mm	115TA2863 Chromium bezel finish	ATLET, ICEM
YES	79 mm	115TA2864 Chromium bezel finish	PRAT



4 DIRECTIONS (1 NO-CONTACT PER DIRECTION)


Spring return	Length of lever	REF	Used for
NO	79 mm	115TA2865 Black bezel finish	IRION
YES	79 mm	115TA2866 Chromium bezel finish	PRAT

JOYSTICKS Ø 30MM




2 DIRECTIONS (1 CO-CONTACT PER DIRECTION)

Spring return	Length of lever	REF	Used for
NO	80 mm	115TA2867 black bezel finish	IRION
NO	115 mm	115TA2868 chromium bezel finish	PRAT




JOYSTICKS Ø 30MM




2 DIRECTIONS (1 CO-CONTACT PER DIRECTION)

Spring return	Length of lever	REF	Used for
NO	68 mm	115TA2869	STILL, SAXBY FENWICK , PRAT
NO	118 mm	106TA2611	STILL, SAXBY FENWICK, STEINBOCK
YES	68 mm	115TA2870	FENWICK
YES	118 mm	115TA2871	




2 DIRECTIONS (2 NC - 2NO)

Spring return	Length of lever	REF	Used for
NO	85 mm	115TA2872	YALE, FIAT PIMESPO
YES	85 mm	115TA2873	FENWICK




4 DIRECTIONS (2 NC + 2NO)

Spring return	Length of lever	REF	Used for
NO	85 mm	115TA2874	LINDE, LANSING
YES	85 mm	115TA2875	




2 + 2 DIRECTIONS (4 NC + 4NO)

Spring return	Length of lever	REF	
NO	81,5 mm	115TA2876	




JOYSTICKS Ø 30MM





2 DIRECTIONS (2NC + 2NO)

Spring return	Length of lever	REF	Used for
NO	105 mm	106TA2608	HYSTER




2 DIRECTIONS (2NC + 2NO)

Spring return	Length of lever	REF	Used for
NO	103 mm	106TA2609	CLARK



2 DIRECTIONS (4NC + 4NO)

Spring return	Length of lever	REF	Used for
NO	103 mm	106TA2610	CLARK



FOR STEERING COLUMN Ø 38 MM



REF	Functions	Used for
115TA2877	Left Right	LINDE



REF	Functions	Used for
106TA2615	Left Right	LINDE STEINBOCK



REF	Functions	Used for
115TA2878	Forward Reverse Horn Left Right Dipped beam High beam Wiper washer	FANTUZZI TEREX

FOR STEERING COLUMN Ø 45 MM



REF	Functions	Used for
115TA2879	Forward Reverse Horn	FIAT/OM-PIMESPO

FOR STEERING COLUMN Ø 45 MM



REF	Functions	Used for
115TA2880	Forward Reverse Horn	STEINBOCK



REF	Functions	Used for
115TA2881	Forward Reverse Slow Fast Horn	FIAT/OM-PIMESPO



REF	Functions	Used for
115TA2882	Forward Reverse 3 speed	CLARK



REF	Functions	Used for
115TA2883	Forward Reverse 4 speed	CLARK KALMAR



REF	Functions	Used for
115TA2884	Forward Reverse Dipped beam High beam	FIAT/OM-PIMESPO

FOR STEERING COLUMN Ø 45 MM



REF	Functions	Used for
115TA2885	Left Right Dipped beam High beam	STEINBOCK



REF	Functions	Used for
115TA2886	Left Right Horn Dipped beam High beam	FIAT/OM-PIMESPO



REF	Functions	Used for
115TA2887	Left Right Horn Dipped beam High beam	CLARK KALMAR



REF	Functions	Used for
106TA2614	Left Right Horn Dipped beam High beam	MIC JUNGHEINRICH



REF	Functions	Used for
115TA2888	Left Right Horn Dipped beam High beam	MIC CLARK

FORWARD / REVERSE SWITCHES




Fig.	Used for	REF
1	STILL (2 switches) (3 switches)	106TA2604 106TA2605
2	BOSCH FENWICK, SAXBY, LINDE, STEINBOCK	106TA1452
3	AMEISE - JUNGHEINRICH	106TA2606
4	AMEISE - JUNGHEINRICH	115TA2890
5	AMEISE - JUNGHEINRICH	a) A0851484 b) A0851460 c) A0852362
6	AMEISE - JUNGHEINRICH	a) A0850470
7	CHARLATTE	115TA2889
8	STILL, LINDE, PIMESPO	106TA1307

INDICATOR LIGHT



Ø 16 mm
delivered without bulb
screw connection

colour lens	REF indicator
red	115TA2853
orange	123TA7624
green	123TA7625

Bulb: 12 V **REF 103TA4549**
24 V **REF 103TA4553**

INDICATOR LED



REF 115TA4629
Red LED 12 V
Ø 18 mm

NORMALLY CLOSED CONTACT

**REF 123TA7735**

key width: 1"1/8
thread: 3/4" - 16 UNF
used for Hyster, Yale, Clark,
Caterpillar, Toyota

NORMALLY OPEN CONTACT

**REF 123TA7736**

key width: 1"1/8
thread: 3/4" - 16 UNF
used for Yale, Clark, Caterpillar, Toyota

NORMALLY OPEN CONTACT

**REF 123TA7737**

key width: 1"1/8
thread: 9/16" - 18 UNF
used for Hyster, Yale, Toyota

NORMALLY OPEN CONTACT

**REF 123TA7738**

key width: 1"1/8
thread: 3/4" - 16 UNF
used for Yale, Clark, Caterpillar

NORMALLY OPEN CONTACT

**REF 123TA7739**

key width: 1"1/8
thread: 3/4" - 16 UNF
used for Yale, Clark, Manitou

NORMALLY OPEN CONTACT

**REF 123TA7740**

key width: 1"1/8
thread: 9/16" - 18 UNF
used for Hyster, Yale

NORMALLY CLOSED CONTACT

**REF 123TA7741**

key width: 1"1/8
thread: 9/16" - 18 UNF
used for Hyster, Yale, Clark,
Caterpillar, Allis Chalmers

NORMALLY OPEN CONTACT

**REF 123TA7742**

key width: 1"1/8
thread: 9/16" - 18 UNF
used for Hyster, Yale, Caterpillar,
Toyota

NORMALLY CLOSED CONTACT

**REF 123TA7743**

key width: 7/8"
thread: 9/16" - 18 UNF
used for Hyster, Manitou, Lansing,
Linde

NORMALLY OPEN CONTACT

**REF 123TA7744**

key width: 19mm
thread: M14 x 1,5
used for Yale, Caterpillar, Toyota,
Manitou

NORMALLY CLOSED CONTACT

**REF 123TA7745**

key width: 26mm
thread: M16 x 1,5
used for Yale, Toyota












MINI-RELAYS

NORMAL OPEN

  	12V	30A 30A 30A	REF 111TA4870 REF 111TA4862 REF 111TA5054	- with bracket with bracket & resistor
	12V	70A 70A 70A	REF 111TA4855 REF 112TA1155 REF 111TA4980	- with resistor with bracket & resistor
	24V	22A 22A	REF 111TA4882 REF 111TA5020	- with bracket
	24V	40A 40A 40A	REF 111TA5026 REF 111TA4967 REF 111TA4986	- with bracket with bracket & resistor

  	12V	30A 30A	REF 111TA4871 REF 111TA5016	- with bracket
	24V	22A 22A	REF 111TA4959 REF 111TA4861	- with bracket

CHANGE-OVER

  	12V	30A 30A	REF 111TA4962 REF 111TA5049	- with bracket
	12V	40A 40A	REF 111TA4969 REF 111TA5032	with resistor with bracket & diode
	24V	22A 22A	REF 111TA4844 REF 111TA4854	- with bracket
	24V	40A	REF 111TA5005	with bracket

This is only a selection, for other relays, please call our sales department.

POWER RELAYS



NORMAL OPEN

12V	20A	REF 111TA4963	with bracket
24V	10A	REF 111TA4923	with bracket
48V		REF 111TA4865	with bracket

NORMAL CLOSED

24V		REF 111TA4907	with bracket
-----	--	---------------	--------------



CHANGE OVER

12V	20A	REF 121TA1133	with bracket
-----	-----	---------------	--------------



NORMAL OPEN

12V	40A 40A	REF 123TA7325 REF 123TA7326	- with bracket
24V	20A	REF 111TA4878	with bracket



CHANGE OVER

12V	20A 20A	REF 111TA4850 REF 111TA4908	- with bracket
24V	20A	REF 111TA5012	-

MICRO RELAYS



NORMAL OPEN

12V	20A	REF 122TA7913	-
-----	-----	---------------	---



CHANGE OVER

12V	20A 20A	REF 112TA1160 REF 111TA4901	with bracket & resistor with diode
24V	10A	REF 116TA5663	with diode



REF 106TA6912
BZY93C12R



REF 106TA6904
R25J2R



REF 106TA6905
SKN24008KNFL2



REF 106TA6906
70HFR100

These electronic components may resemble the one fitted in the truck, but there can be a big difference. Therefore we ask you to always supply us with full truck details before ordering a similar unit.



REF 106TA6907
1N5408



REF 106TA6908
1N4007



REF 106TA6909
70UR40



REF 106TA6910
70HFLR60S02



REF 106TA6911
SKN4504



REF 106TA6923
P280CH03AM0U



REF 106TA6918
50RIA40



REF 106TA6919
50RIA60



REF 106TA6920
T70RIA60



REF 106TA6921
N086PH02




REF 106TA6922
PO86CH04FK0



REF 106TA6913
ST103C02CCJ



**TOSHIBA / FUJI / HITACHI / GENERAL ELECTRIC / POWEREX
PHILIPS / IR / SEVCON / SEMIKRON / EUPEC / IXYS
WESTCODE / AEG / SIEMENS / MITSUBISHI ELECTRIC**



NOTES

NOTES

Lined area for taking notes.

TOTAL SOURCE





AMP = Current (Amps)

SPEED IND. = Speed indication (SLOW, MEDIUM, FAST)


EX. AGENT = Extinguishing agent (sand)



STANDARD: DIN72582 / SLOW



Minimum order quantity
10 pieces !




REF/Piece AMP

106TA4976	25
103TA2708	30
103TA2959	40
106TA4923	50
103TA2960	60
103TA2709	80
103TA2710	100
103TA2961	120
103TA2711	150
106TA4924	250

STANDARD: DIN43560 / FAST




Minimum order quantity
10 pieces !



REF/Piece AMP

103TA2712	35
103TA2713	40
103TA2714	50
103TA2715	63
106TA4925	80
106TA4926	100
103TA2716	125
106TA4927	130
103TA2717	135
103TA2718	150
103TA2719	160
103TA2720	175
106TA4928	200
103TA2721	225
106TA4929	250
106TA4930	275
106TA4931	300
106TA4974	325
103TA2722	355
103TA2723	400
106TA4932	425
103TA2724	500




STANDARD: DIN72581 / SLOW

FUSES



Minimum order quantity
10 pieces !




REF/Piece	AMP
103TA2654	30
103TA2957	40
103TA2655	50
103TA2958	60
103TA2656	80
103TA2657	100
103TA2659	125
103TA2658	150


STANDARD: DIN43560/1 / FAST



Minimum order quantity
10 pieces !



REF/Piece	AMP
103TA2674	35
103TA2675	40
103TA2676	50
103TA2677	63
103TA2678	80
103TA2679	100
103TA2680	125
103TA2681	135
106TA4916	150
106TA4917	160
103TA2682	175
103TA2683	200
103TA2684	225
103TA2685	250
103TA2686	275
103TA2687	300
103TA2688	325
103TA2689	355
103TA2690	400
103TA2691	425
103TA2692	500




FUSES



Minimum order quantity
10 pieces !


STANDARD: DIN43560/1 / FAST



REF/Piece AMP

103TA2693	35
103TA2694	50
106TA4919	63
106TA4920	80
106TA4921	100
103TA2695	125
103TA2697	150
103TA2698	160
106TA4922	175
103TA2699	200
103TA2700	225
103TA2701	250
103TA2704	325
103TA2707	355
103TA2705	425
103TA2706	500


STANDARD: LKN



REF/Piece AMP

106TA5057	70
106TA5058	80


STANDARD: LKN




REF/Piece AMP

103TA2998	125
103TA2999	200
103TA3000	300
103TA3001	350
103TA3002	600






STANDARD: CNN/ANN / FAST



REF/Piece	AMP
106TA7087	35
106TA5045	40
106TA5046	50
106TA5047	60
106TA5048	80
106TA6928	100
106TA7088	125
106TA6929	150
106TA7089	175
106TA6927	200
106TA7090	225
106TA5049	250
106TA7091	275
106TA5050	300
106TA7092	325
106TA7093	350
106TA5051	400
106TA5052	500
106TA5053	600
106TA5055	700
106TA5056	800

FUSES


STANDARD: CNL/ANL / SLOW



REF/Piece	AMP
106TA7084	35
106TA7085	40
106TA6938	50
106TA5036	60
106TA5037	80
106TA6937	100
106TA6936	125
106TA6935	130
106TA6931	150
106TA7086	175
106TA5039	200
106TA6934	225
106TA5040	250
106TA6933	275
106TA6930	300
106TA5041	325
106TA6932	350
106TA5042	400
106TA5043	500
106TA4977	600
106TA5044	675




STANDARD: BF1



REF/Piece AMP

123TA8283	30
123TA8284	40
123TA8285	50
123TA8286	60
123TA8287	70
123TA8288	80
123TA8289	100
123TA8290	125
123TA8291	150
123TA8292	200


STANDARD: MEGA/BF2




REF/Piece AMP

103TA3039	100
106TA6940	125
103TA3040	150
111TA2800	175
103TA3041	200
103TA3042	225
103TA3043	250
119TA8939	300
123TA8293	400
123TA8294	500






STANDARD: FIAT / FAST




REF/Piece	AMP
103TA2964	75
103TA2965	100

STANDARD: FIAT / FAST



REF/Piece	AMP
119TA8940	100
103TA2966	150
103TA2967	200
123TA8295	400

STANDARD: FIAT / FAST




REF/Piece	AMP
103TA2962	250
103TA2963	300

STANDARD: FIAT / FAST



REF/Piece	AMP
103TA3019	400


STANDARD: JAPANESE



REF/Piece AMP

123TA8540	10
124TA2766	20
124TA2767	30


STANDARD: JAPANESE



REF/Piece AMP

119TA8942	40
119TA8943	50
119TA8944	60


STANDARD: JAPANESE



REF/Piece AMP

103TA2903	75
119TA8941	100

STANDARD: JAPANESE




REF/Piece AMP

103TA2904	150
103TA2905	200
103TA2906	300

STANDARD: DIN72581/MINI / FAST



Minimum order quantity
10 pieces !




Standard: 32V
With ex. agent: 125V

REF/Piece	AMP	EX. AGENT (sand)
106TA5062	2	
123TA8296	3	YES
106TA5063	3	
123TA8297	4	YES
106TA5064	4	
123TA8298	5	YES
106TA5065	5	
123TA8299	7,5	YES
106TA5066	7,5	
123TA8300	10	YES
106TA5067	10	
123TA8301	15	YES
106TA5068	15	
106TA5069	20	
106TA5070	25	
106TA5071	30	

STANDARD: DIN72581/MED / FAST




Minimum order quantity
10 pieces !



Standard: 32V
With ex. agent: 80V

REF/Piece	AMP	EX. AGENT (sand)
106TA5096	1	
103TA2767	2	
119TA8945	3	YES
106TA4952	3	
119TA8946	4	YES
106TA4953	4	
103TA2771	5	YES
103TA2768	5	
119TA8947	7,5	YES
103TA2769	7,5	
103TA2773	10	YES
106TA4954	10	
106TA4960	15	YES
106TA4955	15	
103TA2774	20	YES
106TA4956	20	
119TA8948	25	YES
106TA4957	25	
103TA2772	30	YES
103TA2770	30	
106TA4958	35	
106TA4959	40	

STANDARD: MED/RESET/FAST



The complete range of MED/RESET/FAST fuses can be found further in this chapter listed under thermal function fuses / reset fuses with push button


STANDARD: DIN72581/MAXI / FAST




*Minimum order quantity
10 pieces !*




Standard: 32V
With ex. agent: 80V



REF/Piece	AMP	EX. AGENT (sand)
123TA8302	20	YES
106TA5072	20	
123TA8303	30	YES
106TA5073	30	
123TA8304	40	YES
106TA5074	40	
123TA8305	50	YES
106TA5075	50	
106TA5076	60	
106TA5077	70	
106TA5078	80	
106TA5079	100	




STANDARD: JAPANESE/MINI FEMALE




REF/Piece	AMP
106TA5097	30
106TA5098	40
124TA2768	50

STANDARD: JAPANESE/FEMALE




REF/Piece	AMP
106TA5080	20
106TA5081	30
106TA5082	40
106TA5123	50
106TA5084	60
106TA5085	80
106TA5086	100

STANDARD: JAPANESE/FEMALE




REF/Piece	AMP
123TA8541	20
123TA8542	30
123TA8543	40
123TA8544	50
123TA8545	60
123TA8546	80
123TA8547	100


STANDARD: JAPANESE/MALE



REF/Piece	AMP
106TA5087	30
106TA5088	40
106TA5089	50
106TA5090	60
106TA5091	80
106TA5092	100
106TA7094	120




STANDARD: HBO / SLOW




REF/Piece	AMP
111TA3444	60
111TA3445	125
111TA3446	150

STANDARD: HSK / FAST




REF/Piece	AMP
103TA3033	40
103TA3034	60
103TA3035	80
103TA3036	100
103TA3037	125
103TA3038	400

STANDARD: ACK




REF/Piece	AMP
103TA2982	20
106TA5095	30

STANDARD: ACK




REF/Piece	AMP
103TA2804	35
103TA2805	40
103TA2806	50
103TA2807	60

STANDARD: ACK




REF/Piece	AMP
103TA2808	70
103TA2809	75
103TA2810	80
103TA2811	90
103TA2812	100
103TA2813	120

STANDARD: ACK




REF/Piece	AMP
103TA2817	140
103TA2818	150
103TA2819	160
103TA2820	175
103TA2821	200

STANDARD: ACK




REF/Piece	AMP
103TA2814	225
103TA2815	250
103TA2816	300

STANDARD: ACL




REF/Piece	AMP
103TA2797	30
106TA4973	35
103TA2798	40
103TA2799	50
103TA2800	60

STANDARD: ACL




REF/Piece	AMP
106TA5093	70
103TA2801	80
106TA5094	90
103TA2802	100
103TA2803	120


STANDARD: ALS



REF/Piece	AMP
103TA2980	150
103TA2979	175
106TA4972	200
103TA2981	225
103TA2791	250
103TA2792	300
103TA2793	350
103TA2794	400
103TA2978	450
103TA2795	500
103TA2977	550
103TA2796	600




STANDARD: LCT




REF/Piece	AMP
103TA2855	6
103TA2856	10
103TA2857	12
103TA2858	16
103TA2859	20
124TA2769	25
124TA2770	32

STANDARD: LET




REF/Piece	AMP
103TA2860	25
103TA2862	35
103TA2863	50
103TA2864	63
103TA2984	75
103TA2865	80
103TA2866	100
103TA2867	125
103TA2868	160
103TA2986	175
103TA2869	180

STANDARD: LMT




REF/Piece	AMP
103TA3031	150
103TA2870	160
103TA2871	200
103TA2872	250
103TA2873	315
103TA2874	355
103TA2875	400
103TA2876	450

STANDARD: LMT



REF/Piece	AMP
103TA2987	500


STANDARD: KAA/A13X



REF/Piece AMP

103TA2877	100
103TA2878	130
103TA2879	150
103TA2880	200
103TA2881	250
103TA2882	300
103TA2883	350
103TA2884	400


STANDARD: KAB/FWX



REF/Piece AMP

103TA2775	35
106TA4961	40
103TA2776	45
105TA4708	50
103TA2777	60


STANDARD: KAB/FWX/A25X



REF/Piece AMP


103TA2885	250
103TA2886	350
103TA2887	400
103TA2888	450
103TA2889	600
103TA2890	700
103TA2891	800

STANDARD: VDE0636/23 NH00




REF/Piece	AMP	SPEED IND.
119TA8949	16	SLOW
106TA7051	20	SLOW
106TA7052	25	SLOW
106TA7053	35	SLOW
106TA7058	40	SLOW
103TA2946	50	FAST
106TA7054	50	SLOW
103TA2947	63	FAST
106TA7055	63	SLOW
103TA2948	80	FAST
106TA5035	80	SLOW
106TA7056	100	FAST
103TA2950	100	SLOW
106TA7057	125	FAST
103TA2949	125	SLOW
103TA2951	160	SLOW

STANDARD: VDE0636/23 NH0




REF/Piece	AMP	SPEED IND.
106TA7059	20	SLOW
111TA2801	50	SLOW
103TA2952	63	SLOW
106TA7062	80	FAST
106TA4991	100	FAST
123TA8314	100	SLOW
103TA3044	125	FAST
106TA7061	125	SLOW
106TA7063	160	FAST
103TA2953	160	SLOW


STANDARD: VDE0636/23 NH1



REF/Piece	AMP	SPEED IND.
106TA7064	63	SLOW
111TA2802	80	SLOW
111TA2803	100	SLOW
103TA2954	125	FAST
106TA7065	125	SLOW
106TA7066	160	SLOW
103TA2955	200	FAST
106TA7067	200	SLOW
103TA2956	250	FAST
106TA7068	250	SLOW




STANDARD: NON/OT



REF/Piece	AMP
103TA2841	70
103TA2842	80
103TA2843	90
103TA2844	100

STANDARD: NON/OT




REF/Piece	AMP
103TA2845	110
103TA2846	125
103TA2847	150
103TA2848	175
103TA2849	200

STANDARD: NON/OT




REF/Piece	AMP
103TA2850	225
103TA2851	250
103TA2852	300
103TA2853	350
103TA2854	400

STANDARD: NON




REF/Piece	AMP
103TA2838	450
103TA2839	500
103TA2840	600

STANDARD: FRN-R/TR-R / SLOW




REF/Piece	AMP
103TA2834	70
103TA2835	80
103TA2836	90
103TA2837	100

STANDARD: DIN 49515/DII




REF/Piece	AMP	SPEED IND.
111TA2804	4	FAST
111TA2805	6	FAST
111TA2806	6	SLOW
103TA2988	16	SLOW
103TA2989	20	SLOW
103TA2990	25	SLOW

STANDARD: DIN 49515/DIII




REF/Piece	AMP	SPEED IND.
106TA7069	35	FAST
103TA2991	35	SLOW
106TA7070	50	FAST
103TA2992	50	SLOW
106TA7071	63	FAST
103TA2993	63	SLOW

STANDARD: DIN 49515/DIVH



REF/Piece	AMP	SPEED IND.
103TA2994	80	FAST
103TA2995	100	FAST

STANDARD: DIN 49515/DVH




REF/Piece	AMP	SPEED IND.
103TA2996	125	FAST
103TA2997	160	FAST



STANDARD: DIN 41662 / SLOW



Minimum order quantity
10 pieces !




REF/Piece	AMP	EX. AGENT (sand)
106TA7072	0,05	
119TA8951	0,063	
106TA7073	0,1	
123TA8315	0,16	
106TA7074	0,2	
123TA8316	0,315	
106TA7075	0,4	
111TA2807	0,5	
123TA8317	0,630	
106TA7078	0,8	
123TA8318	1	
106TA7076	1,6	
111TA2808	2	
123TA8319	3,15	
119TA8950	4	YES
123TA8320	5	
106TA4990	6,3	
106TA7079	8	
106TA4975	10	
123TA8321	10	YES
106TA7077	16	YES

STANDARD: DIN 41571 / MEDIUM



Minimum order quantity
10 pieces !




REF/Piece	AMP	EX. AGENT (sand)
123TA8548	0,2	
106TA4935	0,315	
123TA8322	0,5	
106TA4980	1	
106TA4983	2	YES
123TA8323	2,5	YES
106TA7080	3,15	YES
106TA7081	4	YES
106TA4979	5	YES
106TA7082	6,3	YES
106TA4981	8	YES
106TA4982	10	YES
106TA7083	16	YES

STANDARD: DIN 41661 / FAST



Minimum order quantity
10 pieces !




REF/Piece	AMP	EX. AGENT (sand)
106TA7048	0,1	
106TA7049	0,2	
123TA8324	0,25	
103TA2738	0,5	
123TA8325	0,63	
106TA4936	1	
103TA2739	2	
103TA2740	2,5	
103TA2741	3,15	
103TA2742	4	
103TA2743	5	
103TA2744	6,3	
106TA4937	8	
106TA4938	10	
123TA8326	10	YES
103TA2745	16	YES
103TA2746	20	

STANDARD: DIN 41660 / CERAMIC / FAST



Minimum order quantity
10 pieces !




REF/Piece	AMP	EX. AGENT (sand)
103TA2758	2	YES
103TA2759	2,5	YES
103TA2760	4	YES
103TA2761	5	YES
106TA4948	10	YES
103TA2763	12,5	YES

STANDARD: DIN 41668 / SLOW



Minimum order quantity
10 pieces !




REF/Piece	AMP	EX. AGENT (sand)
123TA8327	0,25	
111TA3438	1	
111TA3439	2	
111TA3440	3	
123TA8329	4	
123TA8330	5	
123TA8332	7	
123TA8333	8	
123TA8335	10	
106TA7050	10	YES
119TA8952	15	
111TA3436	16	YES
111TA3441	20	
111TA3442	25	
111TA3443	30	


STANDARD: DIN 41668 / MEDIUM



Minimum order quantity
10 pieces !




REF/Piece	AMP	EX. AGENT (sand)
103TA2750	4	YES
124TA2771	7,5	NO
124TA2772	10	NO
124TA2773	15	NO
124TA2774	25	NO



STANDARD: DIN 41668 / FAST




Minimum order quantity
10 pieces !




REF/Piece	AMP	EX. AGENT (sand)
103TA2747	0,3	
103TA2748	0,5	
106TA4939	1	
106TA4940	2	
103TA2749	3	
123TA8336	4	
103TA2751	5	
123TA8337	6	
103TA2752	6,3	YES
123TA8338	7	
123TA8339	8	
103TA3020	8	YES
106TA4941	10	
103TA2753	15	
111TA3437	16	
103TA2754	20	
103TA2755	25	
106TA4942	30	
106TA4943	35	

STANDARD: AGA / MEDIUM




REF/Piece	AMP
103TA2919	4
103TA2920	5
103TA2921	10

STANDARD: AGW/SFE / MEDIUM



REF/Piece	AMP
103TA2915	1
123TA8343	2
123TA8344	3
123TA8345	4
103TA2916	5
123TA8346	6
103TA2917	9
123TA8347	10
123TA8348	15
103TA2918	20
123TA8349	25
123TA8350	30
123TA8351	35


STANDARD: AGX / MEDIUM



REF/Piece AMP

103TA2932	0,25
123TA8352	1
123TA8353	2
103TA2933	3
123TA8354	4
123TA8355	5
123TA8356	6
123TA8357	7
103TA2934	8
123TA8358	10
103TA2935	15
103TA2936	20
123TA8359	25
103TA2937	30
123TA8360	50

STANDARD: BS105/C / FAST




REF/Piece AMP

103TA2922	1,25
103TA2923	2
103TA2924	2,5
103TA2925	8
103TA2927	15
103TA2928	20
103TA2929	25
103TA2930	30
103TA2931	35

STANDARD: DIN 72581/1



Minimum order quantity
10 pieces !




REF/Piece AMP

106TA4945	5
106TA4946	8
103TA3021	10
106TA4947	16
103TA2756	25
103TA2757	40

STANDARD: MDA/CERAMIC / SLOW



Minimum order quantity
10 pieces !




REF/Piece	AMP	EX. AGENT (sand)
123TA8371	10	YES
123TA8372	12	YES
123TA8373	25	YES

STANDARD: ABC/CERAMIC / FAST




Minimum order quantity
10 pieces !




REF/Piece	AMP	EX. AGENT (sand)
103TA2971	0,75	YES
123TA8366	1	YES
103TA2972	2	YES
123TA8367	3	YES
103TA2765	3,15	YES
123TA8368	4	YES
106TA4950	5	YES
123TA8369	6	YES
106TA4949	7	YES
103TA2975	8	YES
119TA8953	10	YES
103TA2766	15	YES
106TA6924	16	YES
103TA2974	20	YES
103TA3022	25	YES
106TA4951	30	YES

STANDARD: KTK/600V / FAST



REF/Piece	AMP
106TA7095	0,3
106TA7096	0,5
106TA7097	5
106TA7098	6
106TA7099	9
106TA7100	10
106TA7101	15
106TA7102	20
106TA7103	25
106TA7104	30
106TA4984	50


STANDARD: FNM / SLOW



REF/Piece AMP

103TA2907	1
103TA2908	2
103TA2909	4
103TA2910	15
103TA2911	20
103TA2912	25
103TA2913	30
111TA3435	32
103TA2914	40


STANDARD: BAN/CE269-2 / FAST



REF/Piece AMP

103TA2778	1
106TA4962	3
103TA2779	6
103TA2780	8
103TA2781	10
103TA2782	15
103TA2983	16
103TA2783	20
106TA4963	25
106TA4964	30
103TA2784	32


STANDARD: CE269-2



REF/Piece AMP SPEED IND.


103TA2893	2	FAST
103TA2900	4	MEDIUM
103TA2894	6	FAST
103TA2899	6	MEDIUM
103TA2895	16	FAST
103TA2896	20	FAST
103TA2901	20	MEDIUM
103TA2902	30	MEDIUM
103TA2897	32	FAST
103TA2898	40	FAST
103TA2892	50	FAST

STANDARD: NON/OT




REF/Piece AMP

106TA4966	1
106TA4967	3
103TA3023	5
106TA4968	6
103TA2789	10
106TA4969	15
106TA4970	20
106TA4971	25
103TA2790	30




STANDARD: NON/OT




REF/Piece	AMP
103TA2785	35
103TA2786	40
106TA4965	45
103TA2787	50
103TA2788	60

STANDARD: CE269-2




REF/Piece	AMP	SPEED IND.
123TA8374	6	FAST
123TA8375	32	FAST
123TA8376	32	SLOW
123TA8377	40	FAST
123TA8378	80	FAST
123TA8379	100	FAST
123TA8380	100	SLOW
123TA8381	125	FAST

STANDARD: SC-AG / SLOW




REF/Piece	AMP
103TA2938	5
103TA3024	10
103TA2939	15

STANDARD: SC / SLOW



REF/Piece	AMP
103TA2940	60



STANDARD: FRN-R/TR-R / SLOW



REF/Piece	AMP
103TA2822	10
103TA2823	12
103TA2824	15
103TA2825	17,5
103TA2826	20
103TA2827	25
103TA2828	30

STANDARD: FRN-R/TR-R / SLOW



REF/Piece	AMP
103TA2829	35
103TA2830	40
103TA2831	45
103TA2832	50
103TA2833	60

STANDARD: SUB-MINIATURE FUSES




REF/Piece	AMP
106TA5060	5
106TA5061	15

STANDARD: CLARK/CF8




REF/Piece	AMP
106TA6926	50
106TA5059	75
111TA4011	100
123TA8382	125
123TA8383	150
123TA8384	175
123TA8385	200
123TA8386	250
123TA8387	300



INSULATING NUT

REF/Piece
123TA8388




FUSE KIT

REF/Kit

123TA8414


 DIN 72581/MED	Qty	AMP
	10 x	5 Amps
	10 x	7,5 Amps
	50 x	10 Amps
	50 x	15 Amps
	25 x	20 Amps
	10 x	25 Amps
	25 x	30 Amps
 DIN 72581/1	Qty	AMP
	10 x	5 Amps
	50 x	8 Amps
	50 x	16 Amps
	10 x	25 Amps
 DIN 41661/FAST	Qty	AMP
	25 x	2 Amps
	10 x	5 Amps
 DIN 41668/FAST	Qty	AMP
	25 x	10 Amps
	25 x	15 Amps
	15 x	20 Amps



THERMAL FUNCTION ONLY

RESET WITH ROCKER SWITCH


50 VDC / 250 VAC



used for: Komatsu, Steinbock

REF/Piece	AMP	TERMINALS
108TA4159	10	BLADE

60 VDC / 240 VAC



used for: Hyster




DUSTCOVER

REF/Piece	AMP	TERMINALS
108TA4160	7	BLADE
108TA4161	9	BLADE
108TA4162	10	BLADE
108TA4163	12	BLADE

REF/Piece
108TA4164


RESET WITH PUSH BUTTON

STANDARD: MED/RESET/FAST




REF/Piece	AMP
123TA8306	5
123TA8307	7,5
123TA8308	10
123TA8309	15
123TA8310	20
123TA8311	25
123TA8312	30
123TA8313	40

28 VDC / 240 VAC




REF/Piece	AMP	TERMINALS
108TA4165	8	BLADE

48 VDC / 240 VAC




REF/Piece	AMP	TERMINALS
108TA4166	16	BLADE

48 VDC / 240 VAC



REF/Piece	AMP	THREAD	TERMINALS
108TA4167	15	3/8	BLADE


28 VDC / 250 VAC



used for: Mic, Steinbock, Jungheinrich


REF/Piece	AMP	THREAD	TERMINALS
108TA4168	10	3/8	BLADE
106TA6925	12	3/8	BLADE
103TA2943	15	3/8	BLADE
108TA4169	15	M12	BLADE
108TA4170	20	3/8	BLADE
108TA4171	25	M12	BLADE

28 VDC / 250 VAC




used for: Still, Jungheinrich

REF/Piece	AMP	THREAD	TERMINALS
108TA4172	4	3/8	SCREW
108TA4173	10	M12	SCREW
108TA4174	16	M12	SCREW
108TA4175	25	M12	SCREW
108TA4176	35	M12	SCREW



FUSES

28 VDC / 115 VAC



used for: Clark



DUSTCOVER


REF/Piece	AMP	THREAD	TERMINALS
108TA4180	70	M12	SCREW

REF/Piece
123TA8389

THERMAL + MAGNETIC FUNCTION

TWO BUTTON RESET


65 VDC / 250 VAC



REF/Piece	AMP	TERMINALS
108TA4181	2	BLADE


TOGGLE SWITCH RESET

220 VDC / 660 VAC



used for: Steinbock, Jungheinrich

REF/Piece	AMP	TERMINALS
108TA4188	25	SCREW




FUSE HOLDERS



REF 106TA2740
For fuse:
DIN 72582




REF 106TA2733
For fuse: DIN 72581/72582
Used for: MIC, JUNGHEINRICH, LAFIS



REF 107TA1629
For fuse: DIN 72581/72582
Used for: JUNGHEINRICH

For fuse: DIN 43560/43561

REF fuse holder	Connection terminal
106TA2701	M8 x 20
106TA2700	M10 x 20
106TA2699	M10 x 30
111TA3447	M8 x 20 (base 32 x 32)




Knurled nut only
REF 111TA3448




Fuse holder assy.:
REF 106TA2695
For fuse:
DIN 43560/43561



REF 106TA2698
For fuse:
DIN 43560/43561




Knurled nut only
REF 111TA3448



Fuse holder assy.:
REF 106TA2693
For fuse: DIN 43560/43561

For fuse: DIN 43560/43561
Used for: MIC, STEINBOCK



fuses	L (mm)	REF
1	30	124TA2775
2	63	123TA8390
3	96	124TA2776



For fuse:
DIN 43560/43561

REF fuse holder	Connection terminal
111TA3449	M8 x 20
106TA2694	M10 x 20
119TA8956	M8 x 31
119TA8957	M10 x 31



For fuse:
DIN 43560/43561


REF fuse holder	Connection terminal
111TA3450	M8 x 30
106TA2696	M10 x 30

REF fuse holder	Connection terminal
111TA3451	M8 x 40
111TA3452	M10 x 40

Knurled nut only:

REF 111TA3454 (M8)
REF 111TA3448 (M10)

For fuse: DIN 43560/43561
Used for: MIC, JUNGHEINRICH



M10 x 40


145

Fuse holder assy.:

REF 111TA3453


For fuse: DIN 43560/43561

Used for: MIC, JUNGHEINRICH



REF 123TA8391


For fuse: CNL/ANL
CNN/ANN



REF 106TA2697

For fuse: CNL/ANL
CNN/ANN

Used for: HYSTER, YALE



REF 106TA2702

Used for: TOYOTA

EXTRACTOR

For fuse: DIN 72581





REF 106TA2734


Mini/medium fuse size

REF 107TA1636


Medium/maxi fuse size



REF 111TA3704
For fuse: DIN 72581 / MINI



REF 106TA2730
For fuse: DIN 72581 / MED




REF 106TA2726
6,35 mm terminals
For fuse: DIN 72581 / MED

For fuse: DIN 72581 / MED
Terminals 6,35 mm




fuses	L (mm)	REF
2	32	119TA8967
6	96	106TA2725
8	128	119TA8968


Terminals 6,35 mm



REF 123TA8392
For fuse: MED/RESET/FAST



REF 123TA8393
Bridge for fuse: DIN72581/MED



REF 111TA3705
For fuse: DIN 72581/MAXI



REF 123TA8394
For fuse: JAPANESE/MALE

**REF 123TA8395**

For fuse: VDE0636/23 NH00

**REF 123TA8396**

For fuse: VDE0636/23 NH0

**REF 123TA8397**

For fuse: VDE0636/23 NH1

cable:
33 cm**REF 107TA1631**For fuse:
5 x 20 mm

6,35 mm terminals

REF 107TA1630For fuse:
5 x 20 mm


4,8 mm terminals


REF 106TA2724For fuse:
5 x 20 mm

solder terminals

REF 106TA2723For fuse:
5 x 20 mm

3mm solder terminals

**REF 106TA2703**For fuse:
5 x 20 mm



cable: 15 cm

REF 107TA1632

For fuse:
6,3 x 32 mm



5 mm

REF 106TA2708

For fuse:
6,3 x 32 mm

6,3 mm terminals



REF 123TA8398

For fuse: 6,3 x 32 mm

solder terminals



REF 123TA8399

For fuse: 6,3 x 32 mm



REF 123TA8400

For fuse: 6,3 x 32 mm



REF 123TA8401

For fuse: 6,3 x 32 mm



fuses

REF

1 **123TA8402**

2 **123TA8403**

3 **123TA8404**

For fuse: 6,3 x 32 mm



REF 106TA2732

For fuse: 6,3 x 32 mm
Used for: HYSTER

**REF 106TA2728**

For 6 fuses: DIN 41668
6,3 x 32 mm

Used for: NISSAN



Fuse holder assy:

REF 106TA2727

With 3 x 10A fuses + 1 spare
& 1 x 30A fuse + 1 spare DIN 41668 (6,3 x 32mm)

Fuse holder only:

REF 123TA8405

Used for: TCM


With 3 x 10A fuses + 1 spare
& 1 x 20A fuse + 1 spare + tool DIN 41668 (6,3 x 32mm)

**REF 107TA1637**

Used for: TOYOTA




solder terminals

**REF 123TA8406**


For fuse: 6,3 x 32mm

6,35 mm
terminals

**REF 106TA2722**

For fuse:
6,3 x 32 mm


6,3mm terminals

**REF 123TA8407**

For fuse:
6,3 x 32 mm




4,8 mm terminals

**REF 106TA2710**


For fuse:
6,3 x 32 mm

**REF 106TA2736**


For fuse:
DIN 72581/1

**REF 106TA2738**

With fuse 8A
DIN 72581/1




FUSE HOLDERS



fuses	L (mm)	black cover	transparent
		REF	REF
2	45	107TA1634	119TA8958
4	60	106TA2717	119TA8959
6	90	107TA1635	119TA8960
8	120	111TA3455	106TA2719
10	151		119TA8961
12	181	106TA2721	119TA8962

with fuses: DIN 72581/1 6x25 8A



fuses	L (mm)	black cover	transparent
		REF	REF
2	45	106TA2711	119TA8963
4	60	106TA2712	119TA8964
6	90		106TA1300
8	120	106TA2714	119TA8965
12	181	107TA1633	119TA8966

with fuses: DIN 72581/1 6x25 8A



REF 106TA2731
With 4 x 8A fuses DIN 72581/1
Used for: LINDE


24 terminals 6,35 mm



REF 106TA2729
For 12 fuses: DIN 72581/1
Used for: FIAT



REF 123TA8408
For fuse: 10 x 38 mm




fuses	L (mm)	REF
1	22	123TA8410
2	41	123TA8411
3	60	123TA8412

For fuse: 10 x 38 mm
Used for: YALE, STEINBOCK



Used for: MIC, JUNGHEINRICH

NOTES




NOTES

NOTES

Lined area for taking notes.





NOTES

NOTES

Lined area for taking notes.

TOTALSOURCE