



IGNITION AND CARBURATION

**We can offer a full range of ignition and carburation parts from stock, too much to show in this catalogue! Ask your sales representative for more info with your truck details.**

## ELECTRONIC IGNITION "IGNITOR"

**STOP REPLACING AND ADJUSTING CONTACT TIPS**

**"Ignitor" fits in the existing distributor and is just as easy to install as the contact tips, without adjustments.**


- **No extra connections or adjustments.**
- **Easy to fit.**
- **Maintenance-free.**
- **Ignition less sensitive to moisture.**
- **A better ignition means better performance.**



"IGNITOR"

Model	cyl	distributor nr.	REF	Model	cyl	distributor nr.	REF
<b>CATERPILLAR / TOWMOTOR</b>				<b>EATON/YALE</b>			
Lift Truck	4	IDJ-4005B	<b>107TA1781</b>	Mazda engine VA	4	90053886	<b>107TA1800</b>
Lift Truck	6	IDJ-4014	<b>107TA1782</b>	Mazda Eng	4	IDJ-4010	<b>107TA1781</b>
12 Volt Industrial Engs	4	IBT-4701C	<b>107TA1783</b>	225 Chrysler Eng	6	IDJ-4011	<b>107TA1782</b>
12 Volt Industrial Engs	4	IBT-4701A	<b>107TA1783</b>	172, 192 Ford Eng	6	IDJ-4006	<b>107TA1782</b>
12 Volt Industrial Engs	6	IBT-6702	<b>107TA1782</b>	F-163 Cont. Eng	6	IDJ-4015	<b>107TA1782</b>
ALL Y112, F163, F185 Cont. Eng.	4	IDJ-4012	<b>107TA1781</b>	G-85 w/H-225 Chry. Eng	4	IDJ-4008	<b>107TA1781</b>
V60-80 Lift Trucks w/Perkins G4-236 Eng	4	IDJ-4005A	<b>107TA1781</b>	F-163 Cont. Eng	6	IDJ-4008	<b>107TA1781</b>
V60C Lift Trucks w/Perkins G4-236 Eng	4	IDJ-4005B	<b>107TA1781</b>	Mazda Eng	4	IDJ-4008	<b>107TA1781</b>
All w/Cont. F163 Eng	4	IDJ-4005	<b>107TA1781</b>	IHC UC-135 Eng	4	IDJ-4008	<b>107TA1781</b>
All w/Cont. F227, 245 Eng	6	IDJ-4013	<b>107TA1782</b>	G51C, P-030 thru 100 w/Chry. 30 Eng	6	IDJ-4008	<b>107TA1781</b>
Lift Truck w/Cont. F226, F245 Eng	6	IBT-6702	<b>107TA1782</b>	Lift Truck	6	IDJ-4015	<b>107TA1782</b>
Lift Truck	4	IBT-4701C	<b>107TA1783</b>	GLF, GLFP, GLFW, GLT	4	IDJ-4008	<b>107TA1781</b>
Lift Truck w/Perkins G4-236 & CD Ign	4	IDD-4101A	<b>107TA1781</b>	All w/Prestolite	4	IDD-4301	<b>107TA1782</b>
Lift Truck; T-30, 40, 50, 60; V30, 40, 41, 50, 51, 60	4	1112677	<b>107TA1784</b>	F-162 Cont. Eng	4	IDD4101A	<b>107TA1783</b>
Lift Truck; 540, 600, 670, 760P, 860P, 960PLT	4			All w/Prestolite Dist	6	IDD-4106	<b>107TA1783</b>
V30, 40, 41, 50, 51, 60	6	1112444	<b>107TA1784</b>		4	IDD-4102	<b>107TA1783</b>
442, 462, 502P, 601P	4	IBT-4701A	<b>107TA1783</b>		6	IDD-4201	<b>107TA1782</b>
390, 400P w/Cont. Y-112 Eng	4	IAY-4005A-1	<b>107TA1786</b>		6	IBD-4009UT	<b>107TA1782</b>
Lift-Truck; 540, 600, 670, 670P, 900, w/Cont. F-209, F-224, F-226 Eng.	6	IAY-4011	<b>107TA1788</b>		4	1112637	<b>107TA1784</b>
K-5; 420, 460, 480P, 500, 500P	4	IAY-4005A-1	<b>107TA1786</b>		4	IAD-4043	<b>107TA1786</b>
Lift Truck; 850, 950	6	1112622	<b>107TA1787</b>		4	IAD-6004-1D	<b>107TA1786</b>
Lift Truck; 420, 460, 480P, 500, 500P w/Cont. F-140 Eng	4	1112630	<b>107TA1787</b>		6	IAD-4039-1	<b>107TA1788</b>
All w/Cont. Y-91 Eng	4	IAY-4015A-1	<b>107TA1786</b>				
LT60, 62, 72, 90	6	IAD-6004-1D	<b>107TA1786</b>				
LT-60, 62, 72, 90	4	IAY-4007A-1	<b>107TA1788</b>				
LT-40, 44, 48	6	IAY-4011	<b>107TA1788</b>				
LT-40, 44, 48, 50, 60	4	IAY-4005-1A	<b>107TA1786</b>				
	4	IGW-4044A	<b>107TA1791</b>				
<b>CLARK</b>				<b>HYSTER</b>			
FORD 300	6	E4JE12127BA	<b>107TA1792</b>	Mazda M4121	4	326835	<b>107TA1801</b>
D176 w/Waukesha Eng	4	IDU-4403	<b>107TA1781</b>	Misc. Models	4	IBT-4707	<b>107TA1783</b>
F163 Continental	4	IDU-4403A	<b>107TA1781</b>	Misc. Models	6	IBT-6704	<b>107TA1782</b>
F227 Continental	4	IDU-4404	<b>107TA1781</b>	Misc. Models	4	IBT-4705	<b>107TA1783</b>
w/Prestolite Dist	6	IDU-4602	<b>107TA1782</b>	Challenger H-20, 25, 30, 60, 70, Spacesaver S-20, 25, 30, 40, 50 Lift Truck	4	1112673	<b>107TA1784</b>
w/Prestolite Dist	4	IBT-4101M	<b>107TA1783</b>	Spacesaver S-30B, 40B, 50B Lift Truck	4	1112627	<b>107TA1784</b>
Clark; IT40B Forklift-Delco Remy	4	IBT-4105	<b>107TA1783</b>	Spacesaver S-40C, 50C Lift Truck	4	1112635	<b>107TA1784</b>
C500-30, 35, 40, 45, 50, 55; C-500H-40, 45, 50, 55	6	IBT-4105A	<b>107TA1783</b>	Challenger H40F, 50F, Lift Truck	4	1112677	<b>107TA1784</b>
Y-40, 45, 50, 55, Forklift-Delco Remy	4	IBT-4706	<b>107TA1782</b>	Lift Truck	4	1112443	<b>107TA1784</b>
C500-20, 20P, 25, 25P; C500F-20P, 25P; C-500Y-20, 25, 30; C500YF-20, 25, 30; IT-40B, Clark-Delco Remy	4	IBT-6703	<b>107TA1782</b>	Misc. Models-Prestolite	4	1112637	<b>107TA1784</b>
C500H-60, 70, 80; C500-100, 200; C-500Y-100, 130, 150; Ranger 40, 60 Forklift-Delco Remy	4	1112673	<b>107TA1784</b>	Lift Truck	6	1112637	<b>107TA1787</b>
C-500-30, 35, 40, 45, 50, 55; C-500H-40, 45, 50, 55	6	1112672	<b>107TA1787</b>	Straddle Truck & Lift Truck	6	1110493	<b>107TA1787</b>
Y-40, 45, 50, 55 Forklift-Delco Remy	4	1112685	<b>107TA1784</b>			1110471	
C-20, 25, CF-20, 25; CY-20; CFY-20 Forklift-Delco Remy	4	1112673	<b>107TA1784</b>			1110478	
Clark; IT-30, 40 Forklift-Delco Remy	4	1112673	<b>107TA1784</b>			1112672	
C-100, 120; CY-100, 120; Ranger 40, 60 Forklift-Delco Remy	4	1112672	<b>107TA1784</b>			1112673	
C-20, 20SU, 30B, 40B, 50B; CF-20, 30B, 40B, 50B; CY-20 25, 30B, 40B, 50B Forklift-Delco Remy	4	1112673	<b>107TA1784</b>			1110317	
C60, 70, 80; CF-60, 70, 80; CH-60, 70, 80; CY-60, 70, 80 Forklift-Delco Remy	6	1112672	<b>107TA1787</b>			1110359	
IT-60 Forklift-Delco Remy	6	1112672	<b>107TA1787</b>			1112672	
C-20, 30, 40, 50; CF-20, 30, 40, 50 Forklift Clark, Towtractor-Delco Remy	4	1112673	<b>107TA1784</b>			1110317	
CF-20, 30, 40, 50; UT-60, 70, 80, 100; HUT60, 70, 80, 100; Y60, 100 Forklift-Delco Remy	6	1112672	<b>107TA1787</b>				
All w-Prestolite Dist	6	IAD-6001D	<b>107TA1788</b>				
C-20, 20P, 20SU, 25, 25SU, 30, 40; CF-20, 25; CY-20, 30 Forklift-Delco Remy	4	1112637	<b>107TA1784</b>				
C-60; CY-60; CFY-60 Forklift-Delco Remy	6	1112628	<b>107TA1787</b>				
<b>DATSUN / NISSAN / KOMATSU</b>				<b>TOYOTA</b>			
D-11 Eng	4	ALL	<b>107TA1797</b>	FG-25, From Serial 15317	4	ALL	<b>107TA1812</b>
H-20 Eng	4	ALL HITACHI	<b>107TA1797</b>	FGC-15, From Serial 10439	4	ALL	<b>107TA1812</b>
H-20 Eng	4	ALL MITSUB.	<b>107TA1798</b>	FGC-25, From Serial 10345	4	ALL	<b>107TA1812</b>
H-30 Eng	6	ALL HITACHI	<b>107TA1799</b>	2FGC-20, From Serial 12551	4	ALL	<b>107TA1812</b>
P40 Eng	6	ALL	<b>107TA1799</b>	3-FG-10, 15; 3-FGC-20, 25; 4-FGC-20, 25	4	ALL	<b>107TA1812</b>
Hercules 1600 engine	4	Prestolite	<b>107TA7697</b>	02-FG-25, From Serial 15303	4	ALL	<b>107TA1812</b>
				02-FGC-10, From Serial 10421	4	ALL	<b>107TA1812</b>
				02-FGC-15, From Serial 10462	4	ALL	<b>107TA1812</b>
				02-FGC-20, From Serial 12544	4	ALL	<b>107TA1812</b>
				02-FGC-25, From Serial 10369	4	ALL	<b>107TA1812</b>
				40-FG-20, From Serial 10294	4	ALL	<b>107TA1812</b>
				42-FG-20, From Serial 10384	4	ALL	<b>107TA1812</b>
				5R Eng, FGC-10, From Serial 10428	4	ALL	<b>107TA1812</b>
				2FG50.60-3FG32, 35, 40, 50, 60	6	ALL	<b>107TA1813</b>
				F - Engine FG 32,35,40	6	ALL	<b>107TA1814</b>
				2F - Engine 2 FG 32,35,40	6	ALL	<b>107TA1814</b>

DIMENSIONS



Company: .....

Customer code: .....

Name: .....

Fax number: .....

Truck make: .....

Truck type: ..... Serial nr: .....

- 1 AT-CI: ..... Number of cylinders
- 2 L: ..... Total length, see picture (mm)
- 3 D1: ..... Diameter of collar (measured under the flange), see picture (mm)
- 4 D2: ..... Diameter of gear (when number of teeth odd = max. dia.), see picture (mm)
- 5 AT-TA: ..... Number of teeth
- 6 B: ..... Width of 'lip or groove', see picture (mm)
- 7 VA-P: ..... Vacuum pump yes/no

## USED FOR CATERPILLAR



REF 105TA4352

AT-CI	4
L	170
AT-TA	0

*This is only a selection of distributors.  
For all other distributors call our sales department !*

DISTRIBUTORS

## USED FOR CLARK



REF 106TA6159

AT-CI	4
L	250
AT-TA	11

## USED FOR FIAT



REF 105TA8818

AT-CI	4
L	242
AT-TA	10

## USED FOR HYSTER



REF 106TA6150

AT-CI	4
L	192,3
AT-TA	0

## USED FOR JUNGHEINRICH



REF 105TA4373

AT-CI	4
L	239
AT-TA	13

## USED FOR KOMATSU



REF 105TA4354

AT-CI	4
L	243
AT-TA	13

## USED FOR TCM



REF 106TA6153

AT-CI	4
L	191,5
AT-TA	0

## USED FOR TOYOTA



REF 106TA6154

AT-CI	4
L	243
AT-TA	12


## USED FOR YALE



REF 105TA8839

AT-CI	4
L	179
AT-TA	0

DIMENSIONS



Company: .....

Customer code: .....

Name: .....

Fax number: .....

Truck make: .....

Truck type: ..... Serial nr.: .....

1 AT-CI: ..... Number of cylinders

2 D1: ..... Diameter inner chamber or collar (outer), see picture (mm)

When no diameter, but another shape, please take max. measurement of the inner shape !!

3 H1: ..... Maximum height of the distributor cap

4 TY-BE: ..... Type fixing: C = Clip S = Screw

DIMENSIONS



1 L1: ..... maximum dimension up to rotor contact, measured in the direction of the contact, see picture (mm)

2 L2: ..... Maximum dimension of the rotor, measured in the direction of the contact, see picture (mm)

3 H1: ..... Maximum rotor height (mm)

USED FOR HYSTER



REF 105TA4911

AT-CI	4
D1	80
H1	63

*This is only a selection of distributor caps. For all other distributor caps call our sales department !*

DISTRIBUTOR CAPS

USED FOR CLARK



REF 105TA4950

AT-CI	4
D1	84,5
H1	79

USED FOR FIAT



REF 103TA4411

AT-CI	4
D1	73,5
H1	76

USED FOR CATERPILLAR



REF 106TA6173

AT-CI	6
D1	85
H1	84

USED FOR YALE



REF 105TA4977

AT-CI	4
D1	75
H1	67,5

USED FOR LANSING



REF 105TA4991

AT-CI	4
D1	79,5
H1	82

USED FOR MITSUBISHI



REF 106TA1580

AT-CI	4
D1	57,5
H1	51,5

USED FOR SAXBY



REF 103TA4422

AT-CI	4
D1	65,5
H1	65

USED FOR NISSAN



REF 103TA4410

AT-CI	6
D1	107
H1	77

USED FOR ALLIS CHALMERS



REF 103TA4471

L1	59
L2	62
H1	21

*This is only a selection of rotors.  
For all other rotors call our sales  
department !*

USED FOR YALE



REF 103TA4473

L1	56
L2	58
H1	28

USED FOR FIAT



REF 105TA4433

L1	49,5
L2	48,5
H1	29

USED FOR HYSTER



REF 103TA4459

L1	52,5
L2	51,5
H1	39,5

USED FOR CLARK



REF 106TA1561

L1	63,5
L2	61,5
H1	36

USED FOR RENAULT



REF 107TA8675

L1	49,5
L2	46,3
H1	24

USED FOR TOYOTA



REF 103TA4494

L1	52,5
L2	46,5
H1	30

USED FOR NISSAN



REF 106TA1435

L1	62
L2	66,5
H1	24

USED FOR STILL



REF 106TA6168

L1	54,4
L2	53,5
H1	30,3



USED FOR HYSTER



REF 106TA6484

USED FOR FIAT



REF 106TA6485

USED FOR TCM



REF 106TA6486

*This is only a selection of contact sets. For all other contact sets call our sales department !*

USED FOR YALE



REF 106TA6487

USED FOR KALMAR-CLIMAX



REF 106TA6488

USED FOR STILL



REF 106TA6489

USED FOR LINDE



REF 106TA6490

USED FOR HYSTER



REF 106TA6491

CONTACT SETS

USED FOR ALLIS CHALMERS



REF 106TA6476

USED FOR CLARK



REF 106TA6477

USED FOR JUNGHEINRICH



REF 106TA6478

USED FOR NISSAN



REF 106TA6479

USED FOR CATERPILLAR



REF 106TA6480

USED FOR TOYOTA



REF 106TA6481

*This is only a selection of contact sets. For all other contact sets call our sales department !*

USED FOR MITSUBISHI



REF 106TA6492

USED FOR FIAT



REF 106TA6483



IGNITION CABLES

USED FOR CATERPILLAR



total cable lengths:

- 430 mm
- 450 mm
- 490 mm
- 640 mm

700 mm

REF 106TA6396

USED FOR HYSTER



total cable lengths:

- 650 mm
- 650 mm
- 740 mm
- 870 mm
- 950 mm
- 1000 mm

REF 106TA6397

USED FOR JUNGHEINRICH



total cable lengths:

- 380 mm
- 480 mm
- 540 mm
- 660mm

460 mm

REF 106TA6399

USED FOR NISSAN




total cable lengths:

- 270 mm
- 270 mm
- 320 mm
- 320 mm

400 mm

REF 106TA6400

USED FOR KOMATSU



total cable lengths:

- 190 mm
- 190 mm
- 320 mm
- 370 mm

420 mm

REF 106TA6401

USED FOR TOYOTA



total cable lengths:

- 270 mm
- 310 mm
- 330 mm
- 400 mm

REF 106TA6402

*This is only a selection of ignition cables. For all other ignition cables call our sales department !*

USED FOR HYSTER



total cable lengths:

- 670 mm
- 810 mm
- 930 mm

REF 106TA6403

USED FOR HYSTER



total cable lengths:

- 760 mm
- 810 mm
- 940 mm

REF 106TA6404

USED FOR MITSUBISHI



total cable lengths:

- 720 mm
- 860 mm
- 860 mm
- 990 mm

REF 106TA6405

USED FOR TCM



total cable lengths:

- 250 mm
- 280 mm
- 370 mm
- 450 mm

REF 106TA6406

USED FOR CLARK



total cable lengths:

- 730 mm
- 860 mm
- 860 mm
- 990 mm

310 mm

REF 106TA6407

USED FOR CATERPILLAR



total cable lengths:

- 380 mm
- 380 mm
- 380 mm
- 510 mm

460 mm

REF 106TA6408

USED FOR KOMATSU



total cable lengths:

- 260 mm
- 320 mm
- 360 mm
- 470 mm

350 mm

REF 106TA6409

USED FOR NISSAN



total cable lengths:

- 260 mm
- 310 mm
- 310 mm
- 360 mm

580 mm

REF 106TA6493

*This is only a selection of ignition cables. For all other ignition cables call our sales department !*

USED FOR STILL



total cable lengths:

- 390 mm
- 390 mm
- 430 mm
- 540 mm

540 mm

REF 106TA6410

USED FOR CLARK



total cable lengths:

- 700 mm
- 780 mm
- 830 mm
- 920 mm

510 mm

REF 106TA6411



IGNITION CABLES

## USED FOR YALE



total cable lengths:

- 280 mm
- 320 mm
- 320 mm
- 350 mm
- 510 mm
- 510 mm

360 mm

REF 106TA6412

## USED FOR ALLIS CHALMERS



total cable lengths:

- 260 mm
- 280 mm
- 390 mm
- 460 mm

280 mm

REF 106TA6413

## USED FOR TCM



total cable lengths:

- 450 mm
- 470 mm
- 480 mm
- 520 mm

480 mm

REF 106TA6414

## USED FOR MITSUBISHI



total cable lengths:

- 640 mm
- 790 mm
- 850 mm
- 990 mm

330 mm

REF 106TA6415

## ENGINE START

REF 107TA1816

engine start  
400 ml



## CONTACT CLEANER

REF 107TA1815

electric contact cleaner  
400 ml



## USED FOR HYSTER



REF 106TA6425

## USED FOR MITSUBISHI



REF 106TA6426

## USED FOR KOMATSU



REF 106TA6427

## USED FOR TCM



REF 106TA6428

## USED FOR HYSTER



REF 106TA6429

## USED FOR CLARK



REF 106TA6747

*This is only a selection of ignition coils. For all other ignition coils call our sales department!*

## USED FOR YALE



REF 106TA6431


## USED FOR HYSTER




REF 106TA6432



EXAMPLE



DIMENSIONS



Company: .....

Customer code: .....

Name: .....

Fax number: .....

Truck make: .....

Truck type: ..... Serial nr.: .....

FAX FORM: CONDENSERS

- 1 D1 : ..... Diameter body, see picture. If the body is non-cylindrical, then the width needs to be measured
- 2 L1 : ..... Length of the body, without accessories
- 3  $\mu\text{F}$  : ..... capacity of the condenser in micro Farad

## USED FOR CLARK



0,25  $\mu$ F  
 cond. length:  
 31 mm  
 Ø 17 mm

REF 106TA6494

## USED FOR MITSUBISHI



0,27  $\mu$ F  
 cond. length:  
 22 mm  
 Ø 15 mm

REF 106TA6495

## USED FOR TCM



0,22  $\mu$ F  
 cond. length:  
 28 mm  
 Ø 15 mm

REF 106TA6497

## USED FOR YALE



0,22  $\mu$ F  
 cond. length:  
 23 mm  
 Ø 17 mm

REF 106TA6498

## USED FOR CATERPILLAR



0,20  $\mu$ F  
 cond. length:  
 22 mm  
 Ø 15 mm

REF 106TA6499

## USED FOR KOMATSU



0,25  $\mu$ F  
 cond. length:  
 21 mm  
 Ø 15 mm

REF 106TA6500

*This is only a selection of condensers. For all other condensers call our sales department!*

## USED FOR TOYOTA



0,25  $\mu$ F  
 cond. length:  
 27 mm  
 Ø 17 mm

REF 106TA6501

## USED FOR FIAT



0,25  $\mu$ F  
 cond. length:  
 32 mm  
 Ø 17 mm

REF 106TA6502



OEM references are purely indicative and do not imply that parts originate from the forklift manufacturer.

## SPARK PLUGS

**GENUINE NIPPON-DENSO!**



**SPARK PLUGS**

<b>BOSCH</b>	W7DCO	AGR32	BCPR6ES	BPR6FS15	T16PU	W20EPB
AW7D	W7DTC	AGR22C	BKR5EY	BPR7ES	T16RU	W20EPRU
D6BC	W8AC	AL5	BKR5EYA	BPR8ES	T20EPRU	W20EPU
D6BP	W8CC	ARF52	BKR6E	BR4HS	T20EPU	W20ESU
FR7DC	W8CP	AWSF52C	BKR6EY	BR5ES	T20PRU	W20ESUR
FR7DP	W8D	B6	BKR6EYA	BR5FS	T20PRU15	W20EXRU
H6DC	W8DC	BF22	BKUR7ET	BR6FS	T20PU	W20EXU
H8BC	W8DP	BF22C	BP2E	C8HSA	T20RU	W20FPU
H8DC	W8DTC	BF3X	BP4ES	CR10EK	T22EPU	W20FSU
H9DCY	W8E	BF42	BP4H	CR9EH9	U24FSU	W20SRU
HR7DC	W8EC	BRF31	BP5EA	D9EA	U27FER9	W20SU
HR8BC	W9A	BT8	BP5EAL		W14	W22EPB
HR8BP	W9AC	RBL12	BP5ES	<b>NIPPON-DENSO</b>	W14E	W22EPRU
HR10AC	W9CC		BP5ESL	K16RU	W14EPRU	W22EPU
M7A	W9DC	<b>NGK</b>	BP5FS	K20PBR10	W14EPU	W22ESU
M7AC	WR5DC	A6	BP6EA	K20RU	W14EXU	W22FPRU
M10A	WR5DP	A8	BP6EFS	K22PBR	W14F	W22FPU
M10ACO	WR5DS	AP6FS	BP6E	L14RU	W14FPU	W22FSU
W10A	WR6DC	AR6	BP6ET	L14U	W14FU	W22MU
W10DC	WR7DC	B10EG	BP6FS	M14	W14L	W24EPRU
W125T1	W8AC	B2	BP6HS	M17	W14U	W24EPU
W145T1	WR8DC	B4	BP7EFS	M2	W14US	W9EP
W145T3	WR8E	B4E	BP7ES	M22	W16EP	W9EPR
W145T30	WR8EC	B4ES	BP7HS	M24S	W16EPB10	W9EXRU
W200T35	WR9DC	B4L	BP8ES	MA16PRU	W16EPR	W9EXU
W4AC	WR9EC	B5ES	BPR2E	MA16PU	W16EPRU	W9P
W5BC		B5HS	BPR2ES	MA20PU	W16EPU	W9PRU
W5BP	<b>MOTORCRAFT</b>	B5S	BPR4ES	MA20RU	W16ESRU	W9PU
W5CC	AF22	B6ES	BPR4FS	Q16PRU11	W16ESU	W9U
W5DC	AF42	B6HS	BPR5EAL	Q20PRU	W16EX	WD20FPU
W6B	AF52	B6S	BPR5EFS	Q20PRU11	W16EXRU	X24EPRU9
W6BC	AF901	B7ES	BPR5ES	Q20RU11	W16EXU	X24ESU
W6DC	AG2	B7FS	BPR5EY	Q20U11	W16FPU	X27ESU
W7BC	AG4	BC6E	BPR5FS	T14PRU	W16FSU	
W7BP	AGF12C	BC6ES	BPR5S	T16EPRU	W16LS	
W7CC	AGPR32C	BCP6ET	BPR6EFS	T16EPRU15	W16PRU	
W7CS	AGR22	BCPR5ES	BPR6ES	T16PRU	W16S	
W7DC	AGR22C	BCPR6E11	BPR6FS	T16PRU15	W16SU	

**Plug wrench**

## SPARK PLUG WRENCH



width mm	width AF	length	
<i>with rubber inside</i>			
16	5/8	80	<b>REF 106TA7973</b>
18	11/16	80	<b>REF 106TA7974</b>
20,8	13/16	80	<b>REF 106TA7975</b>
<i>with permanent magnet</i>			
16	5/8	70	<b>REF 106TA7976</b>
18	11/16	70	<b>REF 106TA7977</b>
20,8	13/16	70	<b>REF 106TA7978</b>



OEM references are purely indicative and do not imply that parts originate from the forklift manufacturer.

**GOVERNORS**

**AISAN**



**REF 107TA1824**  
Used for  
TOYOTA 5FG 20-23-25  
with 4P engine

**AISAN**



**REF 107TA1820**  
Used for  
TOYOTA 4FGL10-14-15-18  
with 4P engine

**AISAN**



**REF 107TA1823**  
Used for  
TOYOTA 5FG20-23-25  
with 5K engine

*This is only a selection of governors.  
For all other governors call our sales  
department !*

**AISAN**



**REF 107TA1819**  
Used for  
TOYOTA 4FG20-23-25  
with 5R engine from 78/04 - 83/06

**AISAN**



**REF 107TA1822**  
Used for  
TOYOTA 02FG32-35-40  
with 2F engine

**AISAN**



**REF 107TA1818**  
Used for  
TOYOTA 5FG20-23-25  
with 4Y engine

**AISAN**



**REF 107TA1821**  
Used for  
TOYOTA 2FG10-14-15  
with 3P engine

**AISAN**



**REF 107TA1817**  
Used for  
TOYOTA 2FG15  
with 5R engine

OEM references are purely indicative and do not imply that parts originate from the forklift manufacturer.

**AISAN**




**REF 107TA1832**  
Used for  
NISSAN H02  
with H20 engine

**AISAN**



**REF 107TA1825**  
Used for  
NISSAN NFG 101 FG 102 FG 103  
with D11 engine

**AISAN**



**REF 107TA1831**  
Used for  
NISSAN F01 series  
with J15 or D11 engine (NISSAN)

*This is only a selection of governors.  
For all other governors call our sales  
department !*

**AISAN**



**REF 107TA1828**  
Used for  
TOYOTA FG20  
with 2R engine

**AISAN**



**REF 107TA1830**  
Used for  
CATERPILLAR V80E  
with perkins 4.236 engine

**AISAN**



**REF 107TA1827**  
Used for  
MITSUBISHI  
with 4G52-54 engine

**AISAN**



**REF 107TA1829**  
Used for  
TOYOTA 2 FG 20,25  
with 4P engine

**AISAN**



**REF 107TA1826**  
Used for  
TOYOTA 42-4 FG 15 & 42-2 FG 25  
with 5R engine

**GOVERNORS**



OEM references are purely indicative and do not imply that parts originate from the forklift manufacturer.

**GOVERNORS**

**AISAN**



**REF 107TA1840**

Used for  
HYSTER  
with GM engine: (6 cyl.)


**AISAN**



**REF 107TA1836**

Used for TOYOTA 5 FG 35, 40,45  
with 3F engine

**AISAN**



**REF 107TA1839**

Used for TOYOTA 4 FG 15  
with 4P engine

*This is only a selection of governors.  
For all other governors call our sales  
department !*

**AISAN**



**REF 107TA1835**

Used for YALE  
GLP 20/30RF  
with MAZDA FE engine

**HOOF**



**REF 107TA1838**

Used for HYSTER H2.00 - 2,50 J & H3.00 JS  
G.M. 4 cyl. 4.181

**HOOF**



**REF 107TA1833**

Used for YALE and  
CLARK with  
CHRYSLER 225-6  
engine

**HOOF**



**REF 107TA1837**

Used for CLARK  
with FORD 300-6  
engine

**HOOF**



**REF 107TA1834**

Used for CLARK H500  
Mod. S10M105 with RENAULT R810 - R847 engine

OEM references are purely indicative and do not imply that parts originate from the forklift manufacturer.

GOVERNORS

## HOOF



**REF 107TA1841**  
Used with FENWICK / LANSING  
(2500 Rpm)

## HOOF



**REF 107TA1845**  
Used for CLARK  
Mod. S365

## HOOF



**REF 107TA1848**  
Used for HYSTER  
with GM (V6) (4,3 L) engine

*This is only a selection of governors.  
For all other governors call our sales  
department !*

## HOOF



**REF 107TA1844**  
Used for CLARK  
(2800 Rpm)

## HOOF



**REF 107TA1847**  
Used for TENNANT with FORD-engine 98-4

## HOOF



**REF 107TA1843**  
used for  
KALMAR, CLARK DPL

## HOOF



**REF 107TA1846**  
Used for CLARK  
(Rpm 2250)

## HOOF



**REF 107TA1842**  
Used for STEINBOCK / BOSS / KOMATSU  
Mod.S200 with FORD engine



OEM references are purely indicative and do not imply that parts originate from the forklift manufacturer.

**GOVERNORS**

## HOOF



**REF 107TA1852**  
Used for YALE / FENWICK  
Mod.S100

## HOOF



**REF 107TA1849**  
Used for STILL / SAXBY  
FORD 1.6L-4 LPG engine

## HOOF



**REF 107TA1851**  
Mod.S20M198

## KOSHIDA SHOKO



Used for NISSAN , TCM

## KOSHIDA SHOKO



Used for NISSAN,  
KOMATSU  
with H20-II engine

## KOSHIDA SHOKO



Used for KOMATSU FG 15-16  
with H20 II engine

## KOSHIDA SHOKO



**REF 107TA1850**  
Used for NISSAN F02  
with H20 engine

*This is only a selection of  
governors available. For more details  
call our sales department.*

OEM references are purely indicative and do not imply that parts originate from the forklift manufacturer.

## KOSHIDA SHOKO



**REF 107TA1860**  
Used for NISSAN  
with A15 engine

## KOSHIDA SHOKO



**REF 107TA1856**  
Used for NISSAN  
with Z24 engine

## KOSHIDA SHOKO




**REF 107TA1859**  
Mod. S276  
Used for TCM  
with H20 engine NISSAN

## KOSHIDA SHOKO



**REF 107TA1855**  
Used for YALE  
with MAZDA engine

## KOSHIDA SHOKO



**REF 107TA1858**  
Used for NISSAN J01 & J02  
with H15 engine

## KOSHIDA SHOKO



**REF 107TA1854**  
Used for NISSAN, FHG20, 25, 30N  
TCM with Z24 engine

*This is only a selection of governors.  
For all other governors call our sales  
department !*

## KOSHIDA SHOKO



**REF 107TA1857**  
Used for CLARK  
GPM 20-30H

## KOSHIDA SHOKO



**REF 107TA1853**  
Used for NISSAN J01 (U)  
with A15 engine

GOVERNORS



FUEL PUMP TYPES

TYPE E (ELECTRIC)



TYPE F



TYPE M (MECHANIC)



TYPE S (ROTATING)







USED FOR HYSTER



**REF 106TA6416**  
used on PERKINS 1004.4

inlet / outlet:  
1/2 UNF

USED FOR CLARK



**REF 106TA6417**  
used on MITSUBISHI S4E

inlet / outlet:  
M14 x 1,5

USED FOR TOYOTA



**REF 106TA6418**  
used on TOYOTA 3P & 4P

inlet / outlet:  
1/2 UNF JIC


USED FOR KOMATSU



**REF 106TA6419**  
used on ISUZU C240

inlet / outlet:  
M14 x 1,5

USED FOR LINDE



**REF 106TA6421**  
used on DEUTZ -MWM - KHD

inlet / outlet:  
M14 x 1,5

*This is only a selection of fuel pumps. For all other fuel pumps call our sales department!*

USED FOR CATERPILLAR



**REF 106TA6422**  
used on PERKINS 4.236 & 4.248

inlet / outlet:  
1/2 UNF

USED FOR STEINBOCK



**REF 106TA6423**  
used on PERKINS 6.354.4

inlet / outlet:  
1/2 UNF


USED FOR YALE



**REF 106TA6424**  
used on PERKINS 4.203.2


inlet / outlet:  
1/2 UNF

USED FOR CLARK




REF 115TA1803  
12 V


USED FOR CATERPILLAR




REF 115TA1804  
12 V



REF 115TA1805  
12 V




REF 115TA1806  
12 V




REF 115TA1809  
12 V

*This is only a selection of electric fuel pumps. For all other fuel pumps call our sales department !*



REF 115TA1807  
24 V



REF 115TA1808  
24 V



CARBURETORS



*Please indicate truck details. For more information call our sales department*



NOTES

# NOTES

Lined area for taking notes, featuring horizontal purple lines and a large, faint watermark reading 'TOTALSOURCE' diagonally across the page.